
### **BRONZEWORK STUDIO**

UNSURPASSED METAL TILE





Bronzework Studio Precison Square Liners, 1/4 inch, Living Brass, Hepburn finish, with white marble (70 inch liners cut on jobsite to fit pattern)

# Precison Square Liner

Brass and stainless steel with our Hepburn finish or dramatic matte black

Up to 98 inches long

Our signature, hand-rubbed Hepburn finish brings old world elegance to modern form.

Choose warm living brass or cool stainless steel. Or be bold and minimal with matte black.

Use Precision Square Liners as wall or floor insets, or to trim the edge of stone, glass, or tile.

### **BRONZEWORK STUDIO**

UNSURPASSED METAL TILE



## Precision Square Liner - Technical Information

### Size Options

 $\frac{1}{4}$  inch:  $0.25 \times 0.25 \times 24$  inches

 $0.25 \times 0.25 \times 70$  inches  $0.25 \times 0.25 \times 98$  inches

3% inch:  $0.38 \times 0.38 \times 24$  inches

 $0.38 \times 0.38 \times 70$  inches  $0.38 \times 0.38 \times 70$  inches

#### **Material Options**

Living Brass Stainless Steel Matte Black

#### **Finish**

Living Brass and Stainless Steel: Featuring our Hepburn finish each liner is carefully finished by hand to give it the look and feel of fine silk.

Liners are finished on one side. Available with two adjacent sides finished, by special order.

Since liners are finished by hand, slight variations in luster and minor surface markings are to be expected.

Matte Black: Aluminum finished with flat black powder coat. Finished on four sides.

No significant variations in color or surfaces markings.

#### **Patina**

Living Brass: Color naturally becomes richer and darker over time. Applying a thin layer of paste wax 1-2 times a year will retard patina process.

Stainless Steel: Does not patina. Matte Black: Does not patina.

#### Installation

Cut to length with a hacksaw lubricated with WD-40.

In most cases, liners can be installed using the same setting compound as the adacent field material. Except: Avoid epoxy thinset and epoxy grout. Epoxy cannot be removed without risk of damaging the Liner's surface.

Use unsanded grout when possible. Keep grout lines as narrow as practical, preferably 0.062-inch.

Sealing is not necessary.

For full details, see our Installation guide (on our website and shipped with every order).

### Cleaning

Clean liners with a soft, damp cloth or paper towel and mild dish soap. Clean up food splashes promptly to avoid altering the natural patina. Dry liners thoroughly.

If more vigorous cleaning is required, use a 5:1 water/white vinegar solution. Avoid abrasives and highly acidic cleaners.

Usage	Interior wall	Interior floor	Backsplash/ countertop	Shower	Exterior wall	Exterior floor	Pool/Fountain
Living Brass	✓	✓	✓	√(1)	√2	√2	√3
Stainless Steel	✓	✓	✓	✓	✓	✓	<b>√</b>
Matte Black	✓	√4	✓	✓	✓	✓	×


- ① Patina will vary depending on how much moisture is present. For pristine appearance, dry surface with soft cloth after shower.
- ② Patina will vary depending on climate. In most cases, gray-green verdigris patina will develop gradually and darken over time.
- ③ A dark patina will develop over time. Living Brass can be laquered to prevent the patina from developing.
- Matte Black liners may be used on light traffic floors, such as residential bathrooms or where shoes are not typically worn.

# **BRONZEWORK STUDIO**

UNSURPASSED METAL TILE




# Precision Square Collection



Matte Black 3/8", Matte Black 1/4", Stainless Steel 3/8", Stainless Steel 1/4", Living Brass 3/8", Living Brass 1/4"



Genevieve concept Livng Brass with Hepburn finish 1/4 " liner



Fitzgerald concept Living Brass with Hepburn finish 3/8 " liners



Debussy concept Stainless Steel with Hepburn finish 1/4" & 3/8" liners



Mondrian concept
Matte Black 1/4" & 3/8" liners