TIMEWORN PORCELAIN

Timeworn porcelain bears an etched matte surface, resembling natural stone that has weathered the torrent of time. Available in three neutral colors, this is an easy-to-maintain porcelain tile with an effortless, antiqued look.

PICTURED: TIMEWORN LIGHT GREY

Ceramic Matrix

TIMEWORN PORCELAIN



White Matte [6]



Light Grey Matte

Dark Grey Matte

APPLICATIONS							
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Medium Traffic Commercial	All	Yes, including steam	Yes [1]	No	Yes, including freeze thaw	Yes	Yes

ATTRIBUTES
DCOF [2]
0.58 0.55 0.59

VARIATION


TAILORED TO CUSTOMIZATION [3]
CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE									
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White [4]	Ardex FL Rapid Set Sanded [5]	1/8" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Grout Release	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	33% max. offset	Recommended

RECTIFIED FIELD TILE



23 5/8" × 23 5/8" × 3/8"
Matte

NOTES

[1] Yes, in mosaic formats only.
[2] The standard requires a minimum wet DCOF Acutest value greater than 0.42 for ceramic tiles (inclusive of porcelain) for level interior spaces expected to be walked upon when wet.
[3] Smallest field cut size - 4" × 4"
[4] Alternate mortar - Mapei Ultraflex LFT White
[5] Alternate grout - Mapei Ultracolor Plus Sanded or Mapei Flexcolor CQ
7.5% Recycled Content
[6] Light colored porcelains that meet the DCOF standard may have a more abrasive surface that might show dirt or debris. Remove with soap, water and firm scrubbing in order to clean. Consider this in the selection process.

Ceramic Matrix

TIMEWORN PORCELAIN

PICTURED: TIMEWORN WHITE

PICTURED: TIMEWORN LIGHT GREY

PICTURED: TIMEWORN DARK GREY

PICTURED: TIMEWORN DARK GREY

Ceramic Matrix