



ISLAND STONE

CREATING A WORLD OF DIFFERENCE.

2018 marks twenty years since our company began sourcing, processing, and designing stone products that have enhanced homes, commercial projects, luxury retailers and hotels across the world.

Our steadfast team continues to create products that convey both the timelessness of tradition and the modern, chic, and functional aesthetic suited to today's consumer.

This dedication to innovation has allowed our range of tiles to expand beyond the world of stone and claddings to encompass exceptional glass and wood offerings. We honor the natural world that gives us inspiration and beautiful materials by reusing, recycling, and taking care of these finite resources.

With offices and factories around the globe, every facet of our organization has to operate flawlessly. By constantly evolving our design systems, manufacturing processes, and supply chain management, we work tirelessly to achieve that goal and to better service you, our valued partners.

Our 2018 catalogue showcases Island Stone's latest designs, including updates and improvements on products that have proven successful over the years. All of us at Island Stone thank you for your continued support and look forward to many more years of partnership committed to excellence.







GLASS

Glass

31 Beach Tile Square /Rectangle & Trims

32 Strand

Spindrift

Waveline

Waveline Mini

Palms

Crossroads

Banyans

Artifact

38 Plaza

Linear

Boulevard

41 Streamline

Classic

QUARRIED STONE

Cladding

Strip

Mini Split

Briq

Parallels

Parallels V

Uniform

Cross Strips

Rustic

Rustic ii

V Squares

Slat Tile

59 Vtile59 Vtile II

Large Vtile

Profile

Crescent Interlock

Crescent Mini Interlock

Crescent Vtile

Rhythm Interlock

66 Dunes

66 New Wave

Paragon Chevron

Paragon Hex

Mosaic

Classic Mosaic Squares

Avant Mosaic

Solid stone

Solid Square / Rectangle / Large Rectangle & trims



Reclaimed Indonesian Teak

Papan Planks

91 Rimba

91 Kayu V-Wood



Information

94 Pebble & Random

Glass

Quarried Stone

VTile

Timber





1 NATURAL MOSAICS



placed into interlocking patterns that imbue them with nature's effortless tranquility.

sacrificing the beauty of simplicity.








PERFECT PEBBLE

13

11 3/4" x 11 3/4"

Pebble size: 1 1/2" - 3" *pd, pv (larger)

Pebble depth: 1/2" Interlocking tile. Tile surface: Natural



PEBBLE BORDERS

6" BORDER TILE - B3 6" x 11 3/4"

4" BORDER TILE - B4

4" x 11 3/4"

Pebble size: 3/4" - 1 1/4" Pebble depth: 1/2" Interlocking borders Tile surface: Natural







Antique Timor White **PM**



French Tan **PF**



Tundra Sage



Birds Egg Blend **PV**



Poppy Seed Blend **PY**



Native Earth Blend



Sumba Speckled **PS**



Medan Charcoal



Alpine **PZ**



Java Grey



Nightcaps **PO**




Black & Tan Mix



KING PEBBLE

14

15 3/4" x 15 3/4" Pebble size: 3" - 5" Pebble depth: 1/2" Interlocking tile.
Tile surface: Natural





Antique Timor White **PM**



French Tan **PF**



Flores Green **PG**



Java Grey **PR**



Medan Charcoal **PC**



LEVEL PEBBLE

FP1

11 3/4" x 11 3/4" Pebble size: 1/2" - 2 1/2"

Pebble depth: 1/2"

Interlocking tile.
Tile surface: Honed





Antique Timor White **PM**



French Tan **PF**



Java Grey **PR**



Medan Charcoal **PC**



Malu Grey **PH**



Birds Egg Blend **PV**



Poppy Seed Blend **PY**



Black & Tan Mix



PETITE PEBBLE


IB3

11 3/4" x 11 3/4" Pebble size: 3/4" - 1 1/4"


Stone depth: 1/2"



Interlocking tile. Tile surface: Natural



Antique Timor White PM



Medan Charcoal

CELESTIAL PEBBLE

IB4

15 3/4" x 15 3/4" Pebble size: 2" - 3" & 3/4"

- 1 1/4"

Pebble depth: 1/2"



Interlocking tile. Tile surface: Natural



Antique Timor White & Medan Charcoal




French Tan & Medan Charcoal



Flores Green & Antique Medan Charcoal Timor White CG



& French Tan СВ



STACKED PEBBLE

V1

11 3/4" x 6" Pebble size: 2" - 3/4" Pebble depth: 1"



Interlocking tile.
Tile surface: Natural



Antique Timor White **PW**



French Tan **PF**



Medan Charcoal **PC**

STRIP PEBBLE

SP1

11 3/4" x 11 3/4" Pebble size: 2" - 3" X 1 1/4"

Pebble depth: 1/2"



Interlocking tile.
Tile surface: Natural



Alpine **PZ**



perfectly selected piece has been inserted.

Once the craftsperson places that ultimate piece and is satisfied with the final design, our quality assurance process goes to work. Discover why our Random Tile Series continues to bring life to the finest hotels and residences in the world.








RANDOM TILE

13

11 3/4" x 11 3/4" Stone size: 1" - 3" Stone depth: 1/2" Interlocking tile.

Tile surface: Cut & Tumbled



RANDOM BORDERS

6" BORDER TILE - B3

6" x 11 3/4"


4" BORDER TILE - B4

 $4'' \times 11 \ 3/4''$

Stone size: 1/2" - 1 1/2" Stone depth: 1/2"

Interlocking borders

Tile surface: Cut & Tumbled







White Marble RW



White Onyx RZ



Beige Marble MB



Latte Quartz QB



Grey Marble MA



Honey Quartz QH



Mixed Quartz QX



Tan Marble



Swirl Grey



Sterling Grey



Black Basalt ΜZ



Beige Marble & Quartz Mix MQ



Beige & Tan Marble mix MW



French Mix



Swirl Grey & Beige Mix XK



Sterling Grey & Grey Mix ХО



Sterling Megamix



Tan & Grey Marble Mix MG



Honey Forest Mix



Marble & Quartz Megamix XX



Forest Marble Mix





LARGE RANDOM TILE

15

17 3/4" x 17 3/4"

Stone size: 2" - 5"

Interlocking tile.

Tile surface: Cut & Tumbled

Stone depth: 1/2"





White Marble **RW**



Beige Marble **MB**



Tan Marble **MX**



Grey Marble **MA**



Black Basalt **MZ**



Sterling Megamix **XL**



Beige & Tan Marble mix **MW**



Forest Marble Mix **FX**



COBBLES

RP3

11 3/4" x 11" 3/4"

Stone size: 1" - 2"

Stone depth: 1/2"

Interlocking tile.

Tile surface: Honed Stone





Beige Marble



Latte Quartz



Swirl Grey **MM**



Sterling Grey



Grey Marble



Tan Marble **MX**



Swirl Grey & Beige Mix **XK**



Sterling Grey & Grey Mix **XO**



Quartz & Sterling Grey Mix XI



Multi Grey & Quartz Mix **XJ**



Beige & Tan Marble **MW**




Sterling Megamix **XL**



RANDOM SQUARES

RS3

11 3/4" x 11 3/4" Stone size: 1" - 2" Stone depth: 1/2"




Interlocking tile.
Tile surface: Cut & Tumbled

RANDOM LINES

SR1

11 3/4" x 11" Stone size: 1" - 1 1/2"

Stone depth: 1/2"



Interlocking tile.
Tile surface: Honed Stone



Beige Marble



Grey Marble **MA**



Tan Marble



Beige & Tan Marble



Marble & Quartz Megamix **XX**



French Mix Marble **XF**



Beige Marble **MB**



Grey Marble



Stirling Grey



Tan Marble **MX**



Beige & Tan Marble **MW**



Sterling Megamix **XL**



HONEYCOMB COBBLES

HC3

Length (tip to tip) 11 3/4"


Stone size: 1" - 3"

Stone depth: 1/2"

Hexagon tile with halo

edging.

Tile surface: Halo Edging





Beige Marble



Sterling Grey



Grey Marble



Tan Marble **MX**



Sterling Megamix XL



Beige & Tan Marble **MW**



Grey Mix **MLMA**



Beige & Tan Marble **MXMB**



Quartz & Tan Mix **QBMX**



HONEYCOMB RANDOM

HR3

Length (tip to tip) 11 3/4"

Stone size: 1" - 3"

Stone depth: 1/2"

Hexagon tile with halo

edging.

Tile surface: Halo Edging





Beige Marble **MB**



Sterling Grey **ML**



Grey Marble



Tan Marble **MX**



Beige & Tan Marble **MW**



Sterling Megamix **XL**













BEACH TILES

SQUARE - S1

 $4'' \times 4''$

9 pieces/sqft Tile depth: 1/4"

Tile surface: Beach Texture

Individual tile.



RECTANGLE - R2

4" x 8"

4.5 pieces/sqft Tile depth: 1/4"

Tile surface: Beach Texture

Individual tile.



PENCIL BAR

TR1

7/8" x 8"

Tile surface: Matte

Spa

Ginger



EXTERNAL RIGHT ANGLE

TR4

0.1" x 0.1" x 8.0" x 0.3" Tile surface: Textured







STRAND RECTANGLE

R3

 $3\ 5/8'' \times 12\ 1/8''$

3.3 pieces/sqft

Tile depth: 1/4"

Tile surface: Beach Texture

& Gloss


Individual tile.





Champagne






Reed



Breeze



Stratos



Tule



Smoke



Cement



Pure Silk



Oceania



Azure



Margarita



Ginger




SPINDRIFT

BG14

12" x 12" Tile depth: 3/16" Tile surface: Matte

Pre-formatted mosaic tile









Stratos

Tule

Smoke







Pure Silk

Azure

Spring



WAVELINE

BG4

Pure Silk

Oceania

12 1/2" x 12 3/4" 0.9 pieces/sqft Tile depth: 3/16" Tile surface: Matte Interlocking tile.

Azure





Spring

Margarita

Breeze



WAVELINE MINI


BG9

12 1/4" x 12 3/4"

Tile depth: 3/16"

Tile surface: Matte & Gloss

Interlocking tile















Sand

Breeze

Stratos

Tule

Smoke

Pure Silk











Oceania

Azure

Spring

Margarita

Fresh



PALMS

BG11

9 1/4" x 11 3/4" 1.25 pieces/sqft Tile depth: 3/16" Tile surface: Matte Interlocking tile.





Sand

Oceania





Stratos



Tule



Smoke



Pure Silk



Azure



Lagoon



Spring



Margarita



CROSSROADS

BG13

9 1/4" x 16" 1.0 piece/sqft Tile depth: 3/16"



Tile surface: Matte Interlocking tile.

BANYANS

BG12

8 1/2" x 16 1/4" 1.0 piece/sqft Tile depth: 3/16"



Tile surface: Gloss with line texture.

Interlocking tile.






Stratos



Smoke



Pure Silk



Frangipani



Reed



Smoke



Pure Silk



ARTIFACT

BG6

11" x 11 1/2" x 1/4" 1.0 piece/sqft



Interlocking tile.
Tile surface: Matte

PLAZA

BG10

11 3/4" x 12" x 1/4" 1.0 piece/sqft Tile depth: 1/4"



Tile surface: Matte Interlocking tile.




Seagrass



Stratos



Smoke



Stratos




Cement



Pure Silk

Spring



Pure Silk



Spring




LINEAR

BG1

10 1/2" x 12 1/2" 1.1 pieces/sqft Tile depth: 3/16" Tile surface: Beach texture

Interlocking tile.











Sand

Frangipani

Seagrass

Reed









Breeze

Smoke

Cement

Pure Silk



BOULEVARD

BG5


10 1/4" x 12 1/2" 1.1 pieces/sqft

Tile depth: 1/4"

Tile surface: Beach texture

and gloss

Interlocking tile.









Seagrass



Reed









Breeze

Guava

Smoke

Cement

Pure Silk



STREAMLINE

BG8

11 3/4" x 12" 1.0 piece/sqft Tile depth: 3/16"




Tile surface: Beach texture Interlocking tile.

CLASSIC

BG7

11 3/4" x 11 3/4" 1.0 piece/sqft Tile depth: 1/4"




Tile surface: Beach texture Square mosaic tile.







Reed



Breeze



Cement




Pure Silk



Frangipani



Reed




Breeze



Cement




Pure Silk



Island Stone®



PURE SILK



Waveline



Waveline Mini (Matte & Gloss)



Plaza Mosaic



Linear Mosaic



Palms



Crossroads



Boulevard Mosaic



Streamline Mosaic



Artifact



Banyans




Classic Mosaic



Spindrift

CEMENT



Waveline



Plaza Mosaic



Linear Mosaid



Boulevard Mosai



Streamline Mosaic



Classic Mosaic

CVVID



Waveline Mini



Palms



Crossroad



Plaza Mosaic



Linear Mosai



TULE



Palms

Waveline

REED



Waveline




Banyans



Linear Mosaic



Boulevard Mosaic




Ctroopolino Massia



Classic Mosaic

FRANGIPANI



Waveline



Linear Mosaic



Streamline Mosaic



Banvans




Boulevard Mosaic



Classic Mosaid

BREEZE



Waveline



Waveline Min



Linear Mosai



Palms



Boulevard Mosai



Streamline Mosai



Classic Mosaic

SPRING



Waveline



Waveline Mini



alms



Plaza Mosaid



Artifact



Spindrift

STRATOS



Waveline Mini



Palms



Crossroads



Plaza Mosaic



Artifact



Spindrift

SEAGRASS



Waveline Mini



Spindrift



Wavelin



Artifac



Linear Mosai



Boulevard Mosaic

GUAVA



Waveline



FRESH



Waveline Mini



MAGARITA



Waveline



Waveline Mini



Palms

AZURE



Waveline



Waveline Min



Palms



Spindri

OCEANIA



Waveline



Waveline Mini




Palms

LAGOON



Palms







At Island Stone, we first recognized the power of raw stone when individual pieces were placed together to create a dramatic finished surface. Realizing its potential, we slowly perfected the art of precision-cutting every piece and fitting the

The beauty of this series lies in the individual textures, colors, and weight of each stone, which integrate to create a vivid masterpiece.








STRIP

2" x 11 3/4" Stone depth: 3/8"

Tile surface: Split face/Craftline/Distressed

Individual rectangular tile.





Himachal White



Sandstone Mint



Golden Slate



Rice White Marble JW



Bali Cream Marble JC



Copper Quartzitic Slate QC




Silver Quartzitic Slate QS



Himachal Black НВ



Exotic Sands Marble



Volcano Grey Marble JG



MINI SPLIT

CJ4

 $3^{\prime\prime}\times11~3/4^{\prime\prime}$

Stone depth: 5/8"

Tile surface: Split face



Multi piece, glued rectangular tile.

BRIQ

CO3

2.5" x 11 3/8" Stone depth: 3/8"



Tile surface: Honed natural face Individual rectangular tile



Budi Cream **JK**



Volcano Grey Marble JG



Sandstone Mint Mix **SX**



Sandstone Grey



Tropical White **WP**




Tropical Tan **TP**



PARALLELS

CL2

6 1/2" x 11 1/2" Stone widths: 1 1/4", 1 7/8", 2 1/2" Stone depth: 1/2" Tile surface: Split face Mesh backed interlocking tile. Pre-formatted linear pattern.






Himachal White **HW**



Golden Slate **GD**



Sutra Black **BM**




Silver
Quartzitic Slate
QS



PARALLELS V

CL3

6 1/2" x 22 3/4" Stone widths: 1", 1 1/4", 1 7/8", 2 1/2" Stone depth: 3/8" - 7/8" Tile surface: Honed/split face Mesh backed interlocking tile. Pre-formatted wedge/strip design.









Bali Cream Marble JC



Exotic Sands Marble




Volcano Grey Marble



Tropical White **WP**




Golden Slate



Silver Quartzitic Slate OS



Sutra Black **BM**




UNIFORM

CL1

4 3/4" x 15 3/8"

Stone size: 1 1/2" x 15 3/8"

Stone depth: 3/8" - 7/8"



Tile surface: Chipped Mesh backed interlocking tile.

Pre-formatted linear pattern.



CX1

5 5/8" x 20 7/8"

Stone size: 1 7/8" x 10 1/2"

Stone depth: 1/2"

Tile surface: Split Face Mesh backed interlocking tile with pre-formatted

wedge relief.



Sandstone MInt **SMC**




Grey Andesite **AGC**



Himachal White **HW**



Golden Slate **GD**



Silver Quartzitic Slate OS



RUSTIC

CR1

4" x 22 3/4"

Stone size: 1" x 11 1/2"
Stone depth: 3/8" - 7/8"

Tile surface: Split face



Mesh backed interlocking tile. Pre-formatted wedge design.




Sandstone Mint



Sandstone Grey



Golden Slate **GD**



Copper Quartzitic Slate



Silver Quartzitic Slate



Sutra Black **BM**

RUSTIC II

CR5

4 3/4" x 15 3/8" Stone size: 1 1/4" x 15 3/8"

Stone depth: 3/8" - 7/8"

Tile surface: Honed/flamed



Mesh backed interlocking tile.

Pre-formatted wedge

design.



Tropical White **WP**



Sandstone Grey



Tropical Tan **TP**



Island Sage **CP**



Flecked Andesite (flamed) **AKF**



Temple Lava **BL**



V SQUARES

CV1

15 1/2" x 7 3/4" Stone size - 3 7/8" x 3 7/8" Stone depth: 3/8" - 7/8"



Tile surface - Honed Mesh backed tile. Pre-formatted wedge design.



Tropical White **WP**



Temple Lava **BL**

SLAT TILE

CT2

2" x 11 3/4" Stone depth: 3/8" - 7/8"




Tile surface: Honed Individual rectangular tile. Inspired by VTile, offering wedge relief with angle cut across short width.



Tropical White **WP**



Copper Quartzitic Slate



Silver Quartzitic Slate OS



VTILE

CR2

2" x 11 1/2"

Stone depth: 3/8" - 7/8"



Tile surface: Split face Individual rectangle with wedge relief.

VTILE II

2" x 15 3/8"

Stone depth: 3/8" - 7/8"



Tile surface: Honed / flamed Individual rectangle with

wedge relief.



Sandstone Mint **SM**



Sandstone Grey **SG**



Golden Slate



Tropical White **WP**



Temple Lava



Copper Quartzitic Slate QC



Silver Quartzitic Slate QS



Sutra Black **BM**



LARGE VTILE

CR4

4" x 15 3/8"

Stone depth: 3/8" - 7/8"

Tile surface: Split face / Honed / Flamed Individual rectangle with







Tropical White **WP**



Sandstone Mint **SM**



Sandstone Grey **SG**



Copper Quartzitic Slate



Golden Slate



Temple Lava **BL**



Silver Quartzitic Slate



Sutra Black BM





Island Stone





CRESCENT INTERLOCK

CB₁

4" x 22 3/4" Stone depth: 3/8" - 7/8"


Stone size: 1" x 11 3/8"



Interlocking wedge tile. Tile surface: Honed



Sandstone Mint **SM**



Silver Quartzitic Slate QS



Sutra Black **BM**




11 7/8" x 3 1/4" Stone depth: 3/8" - 7/8"

Stone depth: 3/8" - 7/8" Interlocking wedge tile.
Stone size: 3/4" x 5 7/8" Tile surface: Honed



Sandstone Mint **SM**



Silver Quartzitic Slate



Sutra Black BM



CRESCENT

CB2

2" x 11 1/2" Stone depth: 3/8" - 7/8"



Individual Wedge tile Tile surface: Honed



15 3/8" x 3 1/8" Stone depth: 3/8" - 7/8" Stone size: 15 3/8" x 3/4"

RHYTHM INTERLOCK



Interlocking wedge tile. Tile surface: Honed



Sandstone Mint



Quartzitic Slate QS



Sutra Black вМ



Sandstone Mint



Sandstone Grey



Sutra Black вМ



DUNES

DP1

7 1/2" x 11 7/8"

Stone depth: 1/4" - 5/8" Stone size: 1 7/8" x 5 7/8"



Meshed back interlocking tile with pre-formatted

wedge relief

Tile surface: Honed

NEW WAVE

MW2

7 1/2" x 11 1/4"

Stone depth: 3/8" - 7/8" Stone size: 3 3/4" x 1 7/8"

Interlocking Wedge tile Tile surface: Honed



Sandstone Mint **SM**



Sandstone Ocean



White Marble **RW**



Silver
Quartzitic Slate
QS



Copper Quartzitic Slate QC



Sutra Black **BM**



PARAGON CHEVRON

PP1

4" x 11 1/2" Stone depth: 1/4" - 5/8"



Tile Surface: Honed Meshed back interlocking tile with pre-formatted wedge relief



Sandstone Mint **SM**



Sandstone Ocean

PARAGON HEX

PP2

Hex: .38 sq.ft/piece Stone depth: 1/4" - 5/8"



Tile Surface: Honed Meshed back interlocking tile with pre-formatted wedge relief



Sandstone Mint




Sandstone Ocean



Island Stone






CLASSIC MOSAIC SQUARES

M48

11 3/4" x 11 3/4" Stone depth: 1/2"

Stone size: 1 7/8" x 1 7/8"

Pre-formatted Mosaic tile. Tile surface: Honed/split face





Himachal White **HW**



Rice White **JW**



Bali Cream **JC**



Exotic Sands Marble JO



Volcano Grey Marble **JG**



Himachal Black



Silver
Quartzitic Slate
QS



Blend: QC/MB/MX **\$10**



Blend: QS/AGH/ HW/HB **B10**



AVANT MOSAIC

M22

11 3/4" x 11 3/4" Stone depth: 1/4" Stone size: 1 7/8" x 7/8" Pre-formatted Mosaic tile. Tile surface: Honed stone






White Ocean **HW015**




Copper Earth QC135



Silver Night QS095












SOLID TILES


Our Solid Tile range comes in a selection of pre-cut sizes and trims.



CUSTOM SIZES


Island Stone offers unmatched capability in working with customers on producing custom sized tiles. For more information see page 139 for additional information on Island Stone custom order capabilities.















SANDSTONE MINT

SM

Tile surface: Split Face & Honed



Uniform CL1 (Page 56)



Rustic CR1 (Page 57)



Crescent Interlock CB1 (Page 64)



Crescent Interlock Mini CB3 (Page 64)



Strip CS1 (Page 52)



Rhythm interlock MW3 (Page 65)



VTile CR2 (Page 59)



Large VTile CR4 (Page 60)



Crescent V
CB2 (Page 65)



Dunes
DP1 (Page 66)



Paragon Chevron PP1 (Page 67)



Paragon Hex pp2 (Page 67)

SANDSTONE OCEAN

Tile surface: Honed



Dunes DP1 (Page 66)





Paragon Chevron PP1 (Page 67)




paragon Hex **PP2 (Page 67)**

























We source teak locally from unused homes and buildings, and then restore the timber to its original luster and beauty while

Recycled teak allows your space to tell the story of the islands, and invites you to breathe new life into an ancient material.








PAPAN PLANKS

KP1

Coverage: 10.7 sq.ft/bundle. Width: 6" (nominal dimensions) wide panels of varying length Lenghts & quantities of panels/bundle: 39 1/2" (3 Panels), 31 1/2" (2 Panels) 23 1/2" (2 Panels), 15 3/4" (2 Panels)









Painted **WRN**

* A natural & painted mix is achieved by purchasing desired bundles of each and mixing them during installation.



RIMBA


KL3

15 3/4" x 7 1/8" Lengths: 15 3/4"

Widths: 3 9/16", 2 3/8",

1 3/16"

Thickness: (Varied) 1/4-3/8"



Tile surface: Natural and/or painted Interlocking tile



Natural **PLS**




Mixed Natural & Painted WRN

KAYU V-WOOD

Tile size: 4 3/4" x 15 1/2" (3/8" to 7/8" thick wedge). Individual pieces: 1 1/8" x 15 1/2" (3/8" to 7/8" thick






Tile surface: Natural and/or painted Interlocking tile



Natural **PLS**



Mixed Natural & Painted WRN






INFORMATION PEBBLE & RANDOM

SEE THE DIFFERENCE









Flatness profile

Pebbles

Grout

Adhesive Surface

PEBBLE TEST RESULTS

Material Code	pa	рс	pf	pg	pm/pw	pn	ро	pr	ps	pv	
Material Name	Black and Tan Pebble	Medan Charcoal Pebble	French Tan Pebble	Flores Green Pebble	Antique Timor White Pebble	Native Earth Blend	Nightcap Blend	Java Grey Pebble	Sumba Speckled Pebble	Bird's Egg Blend	
Description	Blend: pc & pf	Single Pebble	Single Pebble	Single Pebble	Single Pebble	Blend: pf ≺	Blend: pz & pc	Multiple Pebble Mix	Single Pebble	Blend: ps, pm & pg	
Pebble/ Hue Variation	High	Low	Medium	Medium	Medium	High	Low	High	Low	High	
Exterior Application	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Floor Use (flat and natural surface finishes)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Water Application	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	
Pool Application	No*	Okay*	No*	No*	Okay*	No*	Unknown	Okay*	Okay*	No*	
Recommended Sealer	Recommended: Water based low sheen matte finish penetrating stone sealer. Oil based sealers tend to enhance/change color and create glossier finish. All sealers have an effect on color and should be tested on a sample swatch before final application										
Recommended Grout Color/Type	Sanded / Natural Grey	Sanded / Natural Grey	Sanded / Light Tan	Sanded / Light Tan	Sanded / Antique White	Sanded / Light Tan	Sanded / Natural Grey	Sanded / Natural Grey	Sanded / Natural Grey	Sanded / Natural Grey	
Material Code	ру	pz	cb	cg	ct	cw					
Material Name	Poppy Seed Blend	Alpine Pebble	Medan Charcoal/ French Tan	Flores Green/ Timor White	French Tan/ Medan Charcoal	Timor White /Medan Charcoal					
Description	Blend: pm, pc & pf	Single Pebble	Blend pc & pf	Blend pg & pm	Blend pf & pcx	Blend pm & pc					
Pebble/ Hue Variation	High	Low	High	High	High	High					
Exterior Application	Yes	Yes	Yes	Yes	Yes	Yes					
Floor Use (flat and natural surface finishes)	Yes	Yes	Yes	Yes	Yes	Yes					
Water Application	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*					
Pool Application	No*	Unknown	No*	No*	No*	Okay*					
	Recommended: Water based low sheen matte finish penetrating stone sealer. Oil based sealers tend to enhance/change color and create glossier finish. All sealers have an effect on color and should be tested on a sample swatch before final application										
Recommended Sealer	finish. All sea	lers have an eff	ect on color and	d should be tes	ted on a sampi	e swatch belor	e iiiiai appiicati	OH			

^{*}Okay: Utilizing natural stone in any harsher environment requires following appropriate guidelines as relates to installation and regular maintenance. Always use a qualified installer. *No: Not Recommended

FREQUENTLY ASKED QUESTIONS

- **Q** Is installing these products difficult to do?
- **A** Product is easy to install. Comprehensive Installation guidelines available online at www.islandstone.com.
- How do you cut Pebble & Random mosaics?
- **A** Use a standard wet tile saw with diamond blade for cutting stone.
- **Q** Can product be used on corners and curved surfaces?
- **A** Product is on mesh allowing it be applied to curved surfaces. Tiles are easily cut or hand placed to wrap edges.
- **Q** Is product difficult to clean and maintain?
- A Product is easy to maintain by regular sealing and can be cleaned with standard household cleaner appropriate for stone.

- How do you clean these products?
- A Any basic cleaner is appropriate for these stones. For heavier duty we recommend a cleaner designated for cleaning "Natural Stone".
- **Q** Do these product require special maintenance?
- A Natural stone maintenance is dependent on the environment. Resealing should occur periodically depending on the environment of the installation. Please refer to sealers for recommendations on when to reseal.
- **Q** What is the recommended overage for a project.
- **A** Generally we recommend ordering an additional 10%. For complicated projects involving extensive cutting (many edges) 15% should be considered.

RANDOM TILE TEST RESULTS

Material Code	fx	ma	mb	mg	ml	mq	mw	mx	mz	qx
Material Name	Forest Marble Mix	Grey Marble	Beige Marble	Tan & Grey Marble	Sterling Grey Marble	Beige Mar- ble & Quartz Mix	Beige & Tan Marble Mix	Tan Marble	Black Basalt	Mixed Quartz
Description	Brown & Green	Single Stone	Stone & Glass	Blend: ma & mx	Single Stone	Blend: mb & qx	Blend: mb & mx	Single Stone	Single Stone	Quartz Blend
Hue Variation	High	low	low	low	low	high	low	low	low	High
Exterior Application		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Floor Use (flat and natural surface finishes)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Water Application	No*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*
Pool Application	No*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*
Recommended Sealer	Recommended: Water based low sheen matte finish penetrating stone sealer. Oil based sealers tend to enhance/change color and create glossier finish. For some stone it also brings out unique characteristics. All sealers have an effect on color and should be tested on a sample swatch before final application									
Recommended Grout Color/Type	Natural Grey/ Sanded	Natural Grey/ Sanded	Antique White/ Sanded	Natural Grey/ Sanded	Antique White/ Sanded	Light Tan/ Sanded	Light Tan/ Sanded	Light Tan/ Sanded	Natural Grey/ Sanded	Bright White/ Sanded
Material Code	rw	rz	xd	xf	xl	хх				
Material Name	White Marble	White Onyx	Black Forest Mix	French Mix	Sterling MegaMix	MegaMix Quartz & Marble				
Description	Single Stone	Single Stone	Blend: fg, mz & ma	Blend: ma, mb & mx	Blend: ml, mb & mx	Blend: mc, mb, mx & qx				
Pebble/ Hue Variation	Medium	High	Medium	Medium	Medium	High				
Exterior Application	Yes	Yes	Yes	Yes	Yes	Yes				
Floor Use (flat and natural surface finishes)	Yes	Yes	Yes	Yes	Yes	Yes				
						01 +				
Water Application	Okay*	Okay*	No*	Okay*	Okay*	Okay*				
Pool Application	Okay* Okay*	Okay*	No*	Okay*	Okay*	Okay*				
	Okay*	Okay* ed: Water based ne stone it also	No*	Okay* tte finish peneti	Okay*	Okay* ler. Oil based s				

INFORMATION

GLASS

ISLAND STONE GLASS TILES AND MOSAICS ARE CREATED FROM A TRANSPARENT PANE OF GLASS THAT UNDERGOES A PROCESS IN WHICH A LAYER OF COLORED GLASS IS BAKED ONTO THE BACK SURFACE.

Behind the color a second layer of opaque (white) glass is baked to the back surface of the glass to maximize the brightness and allow for a through colored appearance.

FREQUENTLY ASKED QUESTIONS

- **Q** Do I need a special contractor to install glass tile?
- A Installing glass tile can be done by any qualified tile contractor. Installer should always follow TCNA guidelines to insure the quality of the final installation.
- How do I cut Island Stone Glass?
- A Island Stone glass should be cut with a wet saw equipped with a glass specific wet saw diamond blade to eliminate chipping of the tile when cutting. Scorers and snappers (not a saw) can be utilized for making simple cuts with linear designs. Cutting of non linear mosaics should always be done on a wetsaw. Format specific techniques for cutting select glass mosaics are included in boxes as well as offered online under "resources at www.islandstone.com"
- **Q** What do I do if I chip the glass when cutting?
- A Orders should always account for some overage, but for minor chips you can use a diamond sanding block.
- What can I do if I crack a tile once installed?
- A qualified installer can cut out individual tiles using a dremel with a proper bit, but it requires careful handling to not damage other tiles.
- **Q** What size grout joints do I use for glass?
- A For Mosaics, joints between tiles should match spacing on meshed sheet. For Beach tiles we generally recommend 1/16"- 1/8" grout lines
- Are there special requirements for installation cleanup?
- A Special attention should be made when finishing a glass installation to insure no grout haze remains on surface-as once dry, grout can become more visible and affect finished installation.
- How do I clean my glass tile?
- A Any standard glass cleaner can be used for regular cleaning. For heavier duty cleaning we recommend using FILA PS87 which is a heavy duty tile specific cleaner.

- **Q** Is the glass see through?
- A The glass is transparent, but behind the color, we adhere an opaque white finish so that it can be applied over any surface without the color of the substrate affecting the brilliance of the tile.
- **Q** Can I customize my order?
- **A** Yes we offer custom service, including alternative colors, blends, textures, shapes, size, etc, but require minimum order quantities and lead times to produce.
- What kind of grout should I use?
- **A** While there are many possible options, we recommend using Bright White Sanded grout.

Recommended Products:

Grout: Bright White Sanded

Sealing: Not necessary for glass, we recommend using a specific grout sealer designed for glass tile.

Please ask your local tile dealer for available options

Recommended Glass Cleaner: FILA PS87

- Can you use glass in areas that get hot?
- **A** Yes glass will not be adversely affected by normal heated areas in a home.
- Can you drill through glass?
- A Yes, you can drill through glass, but should use a specialized bit designed to drill through porcelain and glass to avoid cracking glass during process.
- **Q** What is the recommended overage for a project?.
- A Generally we recommend ordering an additional 10%. For complicated projects involving extensive cutting (many edge) 15% should be considered.
- **Q** Beach Tile Specifications?
- A 665 lb Breaking Strength, Freeze/Thaw: Passed,

COF: Dry .83 / Wet .72,

Resistence to Chemical Substance: Passed.

INFORMATION QUARRIED STONE

THE STUNNING FORM OF ISLAND STONE'S QUARRIED STONE INTRODUCES A WHOLE NEW WORLD OF POSSIBILITIES

Precision-cut, with either a natural or honed surface that enriches the color of the raw material, Island Stone Quarried Stone is truly transformational.

FREQUENTLY ASKED QUESTIONS

- Can I grout claddings?
- A Yes, generally designed as dry stack, flat surface (non wedge relief) claddings such as Strip can be grouted, but special care required related to cleaning grout during installation on split face finishes
- Q Do I need to seal claddings?
- A Depends on use. In exterior or wet environments claddings should always be sealed. Water based. penetrating stone sealers are generally recommended, but in environments where stone will face extreme exposure, oil based waterproof penetrating stone sealers may offer better protection. Always test sealer on stone as sealers can dramatically change surface appearance.
- **Q** Can natural stone products be used in wet areas?
- A Yes, approved stones (see chart) can be used in wet environments but should be applied to a waterproofed surface and should be sealed appropriately.
- Can claddings be used on floors?
- A Yes, flat surface (non wedge relief) claddings can be used on floors.
- What size grout joints do I use for solids?
- A Grout joints can vary to fit the look one is trying to achieve, we generally recommend between 1/16"-1/4".

- **Q** How do I turn corners with claddings?
- A Both miter cuts and butt joints are options. For details visit our online resources section at www.islandstone.com
- Are honed finished Solids tiles okay for floors?
- A Solids can be used for floors. For COF specifications visit our online resources section at www.islandstone.com
- **Q** Can materials be used on curved surfaces?
- A Yes, materials can be applied to a curved surface.

 Direction and length of product used, define the minimum radius required for material to fit curve.
- Can you install material on any surface?
- A Material should only be applied to a solid, immobile surface. If applying to drywall, we recommend first covering wall with a solid concrete board. If applying to a unique surface material make sure adhesive used is designed to work with both the tile and surface.
- **Q** What is the recommended overage for a project?
- A Generally we recommend ordering an additional 10%. For complicated projects involving extensive cutting (many edge) 15% should be considered.

QUARRIED STONE TEST RESULTS

Material Code	jc, jcc, jch	jg, jgc, jgh	jk	jo, joc, joh	jw, jwc, jwh	rw	wp	ср	tp	agc, agh, agx, akf
										&ax14s
Material Name	Bali Creme Marble	Volcano Grey Marble	Budis Creme Marble	Exotic Sands Marble	Rice White Marble	White Marble	Tropical White	Island Sage	Tropical Tan	Grey and Flecked Andesite (chipped)
Description	Indonesian Marble				Indonesian Limestone			mestone		Indonesian volcanic stone
Hue Variation	Low	Medium	Low	Medium	High	Medium	Low	Medium	Medium	Low
Exterior Application (Free Thaw approved)	*No	*No	*No	*No	*No	Okay*	Okay*	Okay*	Okay*	Okay*
Water Application/ Pool Application	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	*No	*No	*No	Okay*
Recommended Grout Color/Type	Sanded/ Light Tan	Sanded/ Natural Grey	Sanded/ Light Tan	Sanded/ Light Tan	Sanded/ Bright White	Sanded/ Bright White	Sanded/ Antique White	Sanded/ Antique White	Sanded/ Light Tan	Sanded/ Natural Grey
Material Code	bl	sm, smc	sg	50	hw, hw01s	hb	qc, qc13s	qs, qs09s	gd	bm & bm03s
Material Name	Temple Lava	Sandstone Mint	Sandstone Grey	Sandstone Ocean	Himachal White	Himachal Black	Copper Quartzite	Silver Quartzite	Golden Slate	Sutra Black
Description	Indonesian volcanic stone				Indian Quartzite				Indian Slate	
Hue Variation	Low	Low	Low	Low	High	Low	Low	Low	High	Low
Exterior Application (Free Thaw approved)	*No	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*
Water Application/ Pool Application	Okay*	*No	*No	*No	Okay*	Okay*	*No	Okay*	*No	Okay*
Recommended Grout Color/Type	Sanded/ Natural Grey	Sanded/ Antique White	Sanded/ Natural Grey	Sanded/ Natural Grey	Sanded/ Bright White	Sanded/ Natural Grey	Sanded/ Light Tan	Sanded/ Natural Grey	Sanded/ Light Tan	Sanded/ Natural Grey
Material Code	s10	b10								
Material Name	Tan Square Blend	Grey Square Blend								
Description	Blend: qc, mb, mx	Blend: qs, ag, hw & hb								
Hue Variation	Low	Low								
Exterior Application (Free Thaw approved)	Okay*	Okay*								
Water Application/ Pool Application	*No	Okay*								
Recommended Grout Color/Type	Sanded/ Natural Grey	Sanded/ Natural Grey								

^{*}Okay: Utilizing natural stone in any harsher environment requires following appropriate guidelines as relates to installation and regular maintenance. Always use a qualified installer. *No: Not Recommended

VTILE

OPENING A NEW DIMENSION IN DESIGN

Arguably the most versatile natural stone material on the market, its unique 3-dimensional structure offers designers a myriad of approaches to creating dramatic contemporary designs. The points below outline what areas to consider when looking to create original distinctive VTile designs.

LAYING DIRECTION

Vertical

- Popular with smaller, taller surfaces, vertical VTile designs give surface a stronger, imposing presence.

Horizontal

- The most common approach, bringing a wall to life with a distinct eye-catching background.

Varying directions

- Creates a complex illusion of shapes as light plays over the crisscrossed wedges.

PROFILE - PLACEMENT

Wave


- Placing VTiles back to back to create an undulating surface with a natural personality.

Stack

- Placing VTiles in the same directional manner to create powerful geometric designs.

ELEVATION - OFFSETS

How an individual VTile is placed as relates to the piece placed prior.



100% offset (wave design only)

VTILE SINGLE & MULIT FORMAT INSPIRATION

A small selection of the many popular, easy to install layouts for VTiles.



VTile - Stacked 25% offset



VTile - Wave 25% offset



VTile - Stacked 100% offset, opposing directions



VTile & Large V - 1 to 1 stacked 50% offset



VTile & Large V - 1 to 1 wave 50% offset



VTile & Large V - 2 to 1 stacked 50% offset, opposing directions

INFORMATION ISLAND TIMBER

OUR WALL CLADDINGS ARE DESIGNED EXCLUSIVELY FOR WALLS AND/OR OTHER NON-TRAFFIC AREAS.

Panels and claddings are cut to a minimal thickness to offer a lightweight, versatile design. Surfaces are finished with a light coating to protect and enhance the product's appearance.

FREQUENTLY ASKED QUESTIONS

- Q How do I install Island Timber products?
- A Island Timber wood panels and claddings can be used on virtually any clean, flat and sealed surface. All timber products are designed to be permanently applied to a wall or ceiling. We recommend using an adhesive along with nails to adhere. Detailed instructions are available on our website.
- **Q** Where can I use Island Timber?
- A Island Timber wall claddings are designed exclusively for walls and/or other non traffic areas.
- Residential interior walls: Living room, bedroom room, kitchens and bathrooms.
- Commercial interior walls.
- Exterior. Teak is renown for its resilience to weather, but all
 wood will weather over time and tile installed in adverse or
 high exposure areas will require maintenance to keep product
 from deteriorating.
- Not recommended: High heat environments, wet environments, exposure to chemicals.
- **Q** Who do I hire to install Island Timber?
- A Tile installers or general contractors can install Island Timber products by following our instructions provided in detail on our website.
- **Q** Can I use this in an area that has fire rating requirements?
- ${\bf A}$ We have tested the ${\it \%}''$ thick teak and received back a "B" fire rating which is acceptable for most projects.

- **Q** Where is the wood from?
- **A** We salvage our reclaimed teak from homes in Indonesia that have previously been torn down.
- Q Do I need to seal?
- A No, sealing is not required. Teak contains natural oil that maintains its appearance. If used in an exterior installation, occasional re-application of teak oil is recommended.
- Can I use for flooring?
- **A** Use on floors is not recommended due to the thin design of the products.
- **Q** Can material be used on a fireplace?
- A Material can be used in areas of fireplace that are not exposed to flames such as facade.
- **Q** Can wood be stained/painted after application?
- A Product is sold as finished. Application of additional finishes is not recommended.
- Can I get custom colors?
- A Custom colors or single colors are available as a special order.
- **Q** Does product need to acclimate before being applied?
- A A one week acclimation period is recommended.







→ Island Stone®







FOR FURTHER INFORMATION OR YOUR NEAREST SUPPLIER PLEASE VISIT: ISLANDSTONE.COM

Note: While every effort has been made to capture a true likeness to color, color samples and photographs seen in this publication may not be an exact color match of product. All images © Island Strone International Ltd. 2015. All rights reserved