Island Stone

Catalog \ Vol 6 2nd Edition

Craftline Strip Caldding & Sand Crossroads \ CS1JC & BG13SAND

WELCOME TO

CREATING A WORLD OF DIFFERENCE.

2018 marks twenty years since our company began sourcing, processing, and designing stone products that have enhanced homes, commercial projects, luxury retailers and hotels across the world.

Our steadfast team continues to create products that convey both the timelessness of tradition and the modern, chic, and functional aesthetic suited to today's consumer.

This dedication to innovation has allowed our range of tiles to expand beyond the world of stone and claddings to encompass exceptional glass and wood offerings. We honor the natural world that gives us inspiration and beautiful materials by reusing, recycling, and taking care of these finite resources.

Island Stone®

With offices and factories around the globe, every facet of our organization has to operate flawlessly. By constantly evolving our design systems, manufacturing processes, and supply chain management, we work tirelessly to achieve that goal and to better service you, our valued partners.

Our 2018 catalogue showcases Island Stone's latest designs, including updates and improvements on products that have proven successful over the years. All of us at Island Stone thank you for your continued support and look forward to many more years of partnership committed to excellence.

3



-

CONTENTS



Pebble

- **11** Perfect Pebble & Borders
- **12** King Pebble
- 13 Level Pebble
- 14 Petite Pebble
- 14 Celestial Pebble
- **15** Stacked Pebble
- **15** Strip Pebble

Random

22

- **19** Random Tile & Borders
- **21** Large Random Tile
 - Cobbles
- 23 Random Squares
- 23 Random Lines
- 23 Honeycomb Cobbles
- 23 Honeycomb Random

Sandstone Mint Rhythm Interlock \ MW3SG



Glass

31	Beach Tile Square				
	/Rectangle & Trims				
32	Strand				
33	Spindrift				
34	Waveline				
35	Waveline Mini				
36	Palms				
37	Crossroads				
37	Banyans				
38	Artifact				
38	Plaza				
39	Linear				
40	Boulevard				

- **41** Streamline
- **41** Classic



Cladding

52	Strip
-	

- 53 Mini Split
- 53 Briq54 Parallels
- **55** Parallels V
- 56 Uniform
- 56 Cross Strips
- 57 Rustic
- **57** Rustic ii
- 58 V Squares
- 58 Slat Tile
- 59 Vtile
- 59 Vtile II
- **60** Large Vtile

Profile

- **64** Crescent Interlock
- **64** Crescent Mini Interlock
- **65** Crescent Vtile
- **65** Rhythm Interlock
- 66 Dunes
- 66 New Wave
- **67** Paragon Chevron
- 67 Paragon Hex

Mosaic

- **70** Classic Mosaic Squares
- 71 Avant Mosaic

Solid stone

75 Solid Square / Rectangle / Large Rectangle & trims



Reclaimed Indonesian Teak

- **90** Papan Planks
- 91 Rimba
- 91 Kayu V-Wood



Information

- 94 Pebble & Random
- 96 Glass
- **97** Quarried Stone
- 99 VTile
- **100** Timber



1 NATURAL MOSAICS

PEBBLE

THE HUMBLE BEAUTY OF A VOLCANIC PEBBLE WASHED AND WORN SMOOTH BY CRYSTAL CLEAR MOUNTAIN STREAMS INSPIRED OUR ICONIC PEBBLE TILE. WHY NOT BORROW FROM THE RIVER'S CLEAN DESIGN TO CREATE A SENSE OF SERENITY IN OUR STRUCTURES THAT MIRRORS THE NATURAL WORLD?

Island Stone®

Evenly surfaced and easily installed, our elegant Pebble Series has proved itself as the mainstay of our business for many years. It isn't hard to see why: the pebble embodies durability and timelessness, without ever sacrificing the beauty of simplicity.

With the mantra "Many picked. Few chosen!" in mind, we source stones from a myriad of exotic locations and sort them by color and shape. Then, the pebbles are meticulously hand placed into interlocking patterns that imbue them with nature's effortless tranquility.

FLORI



5

PERFECT PEBBLE 13

11 3/4" x 11 3/4" Pebble size: 1 1/2" - 3" *pd, pv (larger) Pebble depth: 1/2" Interlocking tile. Tile surface: Natural



PEBBLE BORDERS

6" BORDER TILE - B3 6" x 11 3/4"

4" BORDER TILE - B4 4" x 11 3/4"

Pebble size: 3/4" - 1 1/4" Pebble depth: 1/2" Interlocking borders Tile surface: Natural







Antique Timor White ΡM

French Tan

PF

PC



Tundra Sage

PD



Birds Egg Blend ΡV



Poppy Seed Blend **PY**



Native Earth Blend PN



Sumba Speckled PS



Alpine **PZ**



Java Grey PR



Nightcaps **PO**



Black & Tan Mix PA






KING PEBBLE 14

15 3/4" x 15 3/4" Pebble size: 3" - 5" Pebble depth: 1/2"

Interlocking tile. Tile surface: Natural















Antique Timor White **PM**

French Tan **PF**

Flores Green **PG**

Java Grey **PR**

Medan Charcoal **PC**



LEVEL PEBBLE

11 3/4" x 11 3/4" Pebble size: 1/2" - 2 1/2" Pebble depth: 1/2" Interlocking tile. Tile surface: Honed





Antique Timor White **PM**

French Tan **PF** Java Grey **PR**





Malu Grey **PH**



Birds Egg Blend **PV**



Poppy Seed Blend **PY**



Black & Tan Mix **PA**



PETITE PEBBLE IB3

11 3/4" x 11 3/4" Pebble size: 3/4" - 1 1/4" Stone depth: 1/2"



Antique Timor White PM



Medan Charcoal PC



Interlocking tile. Tile surface: Natural





15 3/4" x 15 3/4" Pebble size: 2" - 3" & 3/4" - 1 1/4″ Pebble depth: 1/2"

Interlocking tile. Tile surface: Natural



Antique Timor White & Medan Charcoal CW


French Tan & Medan Charcoal СТ






Flores Green & Antique Medan Charcoal Timor White CG

& French Tan СВ



STACKED PEBBLE V1



11 3/4" x 6" Pebble size: 2" - 3/4" Pebble depth: 1" Interlocking tile. Tile surface: Natural



Antique Timor White **PW**






STRIP PEBBLE \$P1



11 3/4" x 11 3/4" Pebble size: 2" - 3" X 1 1/4" Pebble depth: 1/2" Interlocking tile. Tile surface: Natural



Alpine **PZ**



Medan Charcoal **PC**

RANDOM

MANY YEARS AGO, WHILE DESIGNING A NEW RANGE OF TILES, A STAFF MEMBER EXCLAIMED "ACAK," THE INDONESIAN WORD FOR "RANDOM." THUS, THE NAME WAS COINED AND SINCE THAT DAY, OUR RANDOM SERIES HAS GROWN TO BE ONE OF OUR MOST POPULAR BRANDS.

Building the tile is a much like putting together an intricate jigsaw puzzle: the big picture only reveals itself once the last, perfectly selected piece has been inserted.

Once the craftsperson places that ultimate piece and is satisfied with the final design, our quality assurance process goes to work.

Island Stone®

We ensure almost 100% consistency in terms of color, size and thickness with each tile. It is truly random in name only!

Discover why our Random Tile Series continues to bring life to the finest hotels and residences in the world.

RANDOM TILE 13

11 3/4" x 11 3/4" Stone size: 1" - 3" Stone depth: 1/2" Interlocking tile. Tile surface: Cut & Tumbled


RANDOM BORDERS

6" BORDER TILE - B3 6" x 11 3/4"

4" BORDER TILE - B4 4" x 11 3/4"

Stone size: 1/2" - 1 1/2" Stone depth: 1/2" Interlocking borders Tile surface: Cut & Tumbled



















White Marble RW

White Onyx RZ

Beige Marble MB

Latte Quartz QB

Grey Marble MA

Honey Quartz QH

QX

Mixed Quartz



Tan Marble MX



Swirl Grey MM



BLEND

Sterling Grey ML



Black Basalt ΜZ



Beige Marble & Quartz Mix MQ



MW

XX



French Mix XF



Swirl Grey & Beige Mix XK



хо

Sterling Grey & Grey Mix XL



Tan & Grey Marble Mix MG

BLEND



Honey Forest Mix хн



Marble & Quartz Megamix



Forest Marble Mix FX

19

673

đ

1

LARGE RANDOM TILE

15

17 3/4" x 17 3/4" Stone size: 2" - 5" Stone depth: 1/2" Interlocking tile. Tile surface: Cut & Tumbled













White Marble **RW** Beige Marble **MB**

Tan Marble **MX** Grey Marble **MA** BI

Black Basalt **MZ**



Sterling Megamix **XL** Beige & Tan Marble mix **MW**

BLEND

Forest Marble Mix **FX**

BLEND





COBBLES RP3

11 3/4" x 11" 3/4" Stone size: 1" - 2" Stone depth: 1/2"

Interlocking tile. Tile surface: Honed Stone






Beige Marble MB



Latte Quartz QB

Swirl Grey MM



Sterling Grey ML







Swirl Grey & Beige Mix хк



Sterling Grey & Grey Mix хо



Quartz & Sterling Grey Mix XI

BLEND

Multi Grey & Quartz

Mix

XJ



Grey Marble

MA

Beige & Tan Marble MW



Sterling Megamix XL



RANDOM SQUARES RS3



11 3/4" x 11 3/4" Stone size: 1" - 2" Stone depth: 1/2"

Interlocking tile. Tile surface: Cut & Tumbled

RANDOM LINES SR1



11 3/4" x 11" Stone size: 1" - 1 1/2" Stone depth: 1/2"

Interlocking tile. Tile surface: Honed Stone



Beige Marble MB

Grey Marble MA

Tan Marble MX



Beige & Tan Marble MŴ



Marble & Quartz

Megamix

XX

French Mix Marble XF

BLEND







Beige Marble MB

Grey Marble







Tan Marble MX

Beige & Tan Marble MŴ

MA

Sterling Megamix XL

Stirling Grey

ML

23



HONEYCOMB COBBLES

HC3

Length (tip to tip) 11 3/4" Stone size: 1" - 3" Stone depth: 1/2" Hexagon tile with halo edging. Tile surface: Halo Edging



Beige Marble **MB**



Sterling Grey

Grey MA

Grey Marble **MA**



Tan Marble **MX** Sterling Megamix **XL**




Beige & Tan Marble **MW**



Beige & Tan Marble **MXMB**



Quartz & Tan Mix **QBMX**





HONEYCOMB RANDOM hr3

Length (tip to tip) 11 3/4" Stone size: 1" - 3" Stone depth: 1/2" Hexagon tile with halo edging. Tile surface: Halo Edging



Beige Marble **MB** Sterling Grey

Grey Marble **MA**




Tan Marble **MX**



Beige & Tan Marble **MW**



Sterling Megamix XL



Island Stone®



Sand Crossroads \ BG13SAND

GLASS

WE DRAW INSPIRATION FOR OUR GLASS SERIES FROM PATTERNS FOUND IN NATURE, LIKE THE DELICATE SYMMETRY OF PALM FRONDS OR THE SLEEK LINEAR SHAPE OF THE BANYAN TREE.

Island Stone has embraced glass as a medium with inexhaustible potential. We are continually experimenting and innovating this series, and are thrilled to provide an extensive list of options that will bring a grace and lightness to your space. Glass tile has an elegant air of subtlety, yet it can transform a wall or a room into a memorable piece of art.

Island Stone®



BEACH TILES

SQUARE - S1 4" x 4" 9 pieces/sqft Tile depth: 1/4" Tile surface: Beach Texture Individual tile.



RECTANGLE - R2 4" x 8" 4.5 pieces/sqft Tile depth: 1/4" Tile surface: Beach Texture Individual tile.



PENCIL BAR

7/8" x 8" Tile surface: Matte





EXTERNAL RIGHT ANGLE

0.1" × 0.1" × 8.0" × 0.3"

Tile surface: Textured

TR4


Guava	Sand	Champagne	Frangipani	Seagrass	Reed
Breeze	Stratos	Dusk	Tule	Smoke	Cement
Pure Silk	Oceania	Azure	Lagoon	Spring	Margarita
0					
Fresh	Spa	Ginger			



STRAND RECTANGLE

3 5/8" x 12 1/8" 3.3 pieces/sqft Tile depth: 1/4" Tile surface: Beach Texture & Gloss Individual tile.







SPINDRIFT bg14

12" x 12" Tile depth: 3/16" Tile surface: Matte Pre-formatted mosaic tile








WAVELINE BG4

12 1/2" x 12 3/4" 0.9 pieces/sqft Tile depth: 3/16" Tile surface: Matte Interlocking tile.








WAVELINE MINI bg9

12 1/4" x 12 3/4" Tile depth: 3/16" Tile surface: Matte & Gloss Interlocking tile







PALMS bg11

9 1/4" x 11 3/4" 1.25 pieces/sqft Tile depth: 3/16" Tile surface: Matte Interlocking tile.







CROSSROADS

9 1/4" x 16" 1.0 piece/sqft Tile depth: 3/16"

Tile surface: Matte Interlocking tile.



8 1/2" x 16 1/4" 1.0 piece/sqft Tile depth: 3/16"



Tile surface: Gloss with line texture. Interlocking tile.



Smoke

Pure Silk





Reed



Smoke

Pure Silk



ARTIFACT BG6



11" x 11 1/2" x 1/4" 1.0 piece/sqft







11 3/4" x 12" x 1/4" 1.0 piece/sqft Tile depth: 1/4"



Tile surface: Matte Interlocking tile.












LINEAR BG1


10 1/2" x 12 1/2" 1.1 pieces/sqft Tile depth: 3/16" Tile surface: Beach texture Interlocking tile.








10 1/4" x 12 1/2" 1.1 pieces/sqft Tile depth: 1/4" Tile surface: Beach texture and gloss Interlocking tile.







STREAMLINE BG8



11 3/4" x 12" 1.0 piece/sqft Tile depth: 3/16"

Tile surface: Beach texture Interlocking tile.



11 3/4" x 11 3/4" 1.0 piece/sqft Tile depth: 1/4"



Tile surface: Beach texture Square mosaic tile.





Breeze

Frangipani

Reed



Cement

Pure Silk





Cement

Pure Silk

GLASS

FORMATS BY COLOR

Glass is incredibly versatile: it can be fused into a staggering variety of colors to suit the interiors of any room. We choose to represent the tones often found in nature, such as the sparkling turquoise of a clear lagoon or the rich toned hues of the earth. This tile is our interpretation of the delicate vibrancy of sea-glass, customized to accent the color scheme of your unique space.

Island Stone®

0.01

603

and the second

10, 201

-

10/20

11

Ch.

-

1999年后,日本訪報月24



PURE SILK



Waveline

Palms

Artifact






Crossroads



Banyans



Plaza Mosaic



Boulevard Mosaic



Classic Mosaic






Streamline Mosaic



Spindrift


















Waveline


Linea

Boulevard M

ic Strea

Classic N

FRANGIPANI













Waveline

inear Mosaic

osaic

B

Classic Mosai

SEAGRASS Waveline Mini Spindrift



SMOKE





Waveline Mini (Matte & Gloss)














124



MAGARITA







Waveline

Waveline Mini






















Temple Lava Vtile II \ CR7BL

Island Stone®



CLADDING

RAW CUT STONE IS BOTH STRIKING AND ENDURING, MAKING IT THE IDEAL MATERIAL FOR EXTERIOR CLADDING SURFACES OR RUSTIC INDOOR INSTALLATIONS.

At Island Stone, we first recognized the power of raw stone when individual pieces were placed together to create a dramatic finished surface. Realizing its potential, we slowly perfected the art of precisioncutting every piece and fitting the stones together with the utmost attention to detail.

The beauty of this series lies in the individual textures, colors, and weight of each stone, which integrate to create a vivid masterpiece.

Island Stone®





STRIP cs1

2" x 11 3/4" Stone depth: 3/8" Tile surface: Split face/Craftline/Distressed Individual rectangular tile.



Himachal White

Copper Quartzitic Slate **QC**



Sandstone Mint **SM**

Silver Quartzitic Slate **QS**

int Golo **GD**



Slate

Himachal Black

HΒ


JW




rble Bali Cream Marble JC



Exotic Sands Marble **JO**



Volcano Grey Marble **JG**





MINI SPLIT 6j4

3" x 11 3/4" Stone depth: 5/8" Tile surface: Split face



Multi piece, glued rectangular tile.



2.5" x 11 3/8" Stone depth: 3/8"



Tile surface: Honed natural face Individual rectangular tile




Budi Cream **JK**

Volcano Grey Marble **JG**





Sandstone Mint Mix **SX** Sandstone Grey **SG**






Tropical White **WP**

Tropical Tan **TP**

53

PARALLELS

6 1/2" x 11 1/2" Stone widths: 1 1/4", 1 7/8", 2 1/2" Stone depth: 1/2" Tile surface: Split face Mesh backed interlocking tile. Pre-formatted linear pattern.





Himachal White **HW**



.



Sutra Black **BM**




Silver Quartzitic Slate **QS**



PARALLELS V CL3

6 1/2" x 22 3/4" Stone widths: 1", 1 1/4", 1 7/8", 2 1/2" Stone depth: 3/8" - 7/8"

Tile surface: Honed/split face Mesh backed interlocking tile. Pre-formatted wedge/strip design.





Rice White Marble **JW**

Bali Cream Marble JC

Exotic Sands Marble JO

SPLIT FACE

Quartzitic Slate

Silver

QS





Tropical White **WP**




Golden Slate **GD**




Sutra Black BM





UNIFORM




4 3/4" x 15 3/8" Stone size: 1 1/2" x 15 3/8" Stone depth: 3/8" - 7/8"

Tile surface: Chipped'8" Mesh backed interlocking tile.Pre-formatted linear pattern.

CROSS STRIPS

5 5/8" x 20 7/8" Stone size: 1 7/8" x 10 1/2" Stone depth: 1/2"



Tile surface: Split Face Mesh backed interlocking tile with pre-formatted wedge relief.




Sandstone MInt **SMC**



Grey Andesite **AGC** Himachal White





Silver Quartzitic Slate **QS**



RUSTIC cr1









4 3/4" x 15 3/8" Stone size: 1 1/4" x 15 3/8" Stone depth: 3/8" - 7/8" Tile surface: Honed/flamed



Mesh backed interlocking tile. Pre-formatted wedge design.




Sandstone Mint **SM**




Sandstone Grey

Galdan Slata

Golden Slate GD



Copper Quartzitic Slate **QC**



Silver Quartzitic Slate

QS

Sutra Black **BM**







Tropical White **WP**

Sandstone Grey **SG**

Tropical Tan **TP**



Island Sage **CP**



Flecked Andesite (flamed) **AKF**



ite Tem BL

Temple Lava **BL**



V SQUARES

15 1/2" x 7 3/4" Stone size - 3 7/8" x 3 7/8" Stone depth: 3/8" - 7/8"



Tile surface - Honed Mesh backed tile. Pre-formatted wedge design.

SLAT TILE

2" x 11 3/4" Stone depth: 3/8" - 7/8"



Tile surface: Honed Individual rectangular tile. Inspired by VTile, offering wedge relief with angle cut across short width.



Tropical White **WP**





Tropical White **WP**

Copper Quartzitic Slate **QC**



Silver Quartzitic Slate **QS**



VTILE cr2

2" x 11 1/2" Stone depth: 3/8" - 7/8"



Tile surface: Split face Individual rectangle with wedge relief.

VTILE II

2" x 15 3/8" Stone depth: 3/8" - 7/8"



Tile surface: Honed / flamed Individual rectangle with wedge relief.



Sandstone Mint **SM** Sandstone Grey SG

Golden Slate **GD**





Tropical White **WP**

Temple Lava **BL**

Copper Quartzitic Slate **QC**




Silver Quartzitic Slate **QS** Sutra Black **BM**



LARGE VTILE CR4

4" x 15 3/8" Stone depth: 3/8" - 7/8" Tile surface: Split face / Honed / Flamed Individual rectangle with wedge relief





Tropical White **WP**



Sandstone Mint **SM**







Golden Slate GD



Silver Quartzitic Slate QS



Sutra Black BM



Sandstone Mint Paragon Hex \ **PP2SM**

PROFILES

OUR PROFILES SERIES SEAMLESSLY COMBINES THOUGHTFUL ENGINEERING AND AVANT-GARDE DESIGN.

We build eye-catching reliefs by cutting stone into various exact shapes, honing their surfaces, and matching the honed pieces together to create an interlocking system. The rendering often appears 3-dimensional, even sculptural. A Profile wall elevates texture beyond the traditional limits of stone tile, blurring the line between design and fine art.

Island Stone®

下的文书出来?公平

A.

-



CRESCENT INTERLOCK CB1



4" x 22 3/4" Stone depth: 3/8" - 7/8" Stone size: 1" x 11 3/8"

Interlocking wedge tile. Tile surface: Honed



11 7/8" x 3 1/4" Stone depth: 3/8" - 7/8" Stone size: 3/4" x 5 7/8"

Interlocking wedge tile. Tile surface: Honed



Sandstone Mint SM



Quartzitic Slate QS



Sutra Black BM







Sandstone Mint SM

Silver Quartzitic Slate QS



Sutra Black BM



CRESCENT VTILE CB2



2" x 11 1/2" Stone depth: 3/8" - 7/8"

Individual Wedge tile Tile surface: Honed





15 3/8" x 3 1/8" Stone depth: 3/8" - 7/8" Stone size: 15 3/8" x 3/4" Interlocking wedge tile. Tile surface: Honed




Sandstone Mint SM





Sutra Black BM



Quartzitic Slate QS





Sandstone Mint SM


Sandstone Grey SG




Sutra Black BM



DUNES DP1




7 1/2" x 11 7/8" Stone depth: 1/4" - 5/8" Stone size: 1 7/8" x 5 7/8"





7 1/2" x 11 1/4" Stone depth: 3/8" - 7/8" Stone size: 3 3/4" x 1 7/8"




Interlocking Wedge tile Tile surface: Honed




Sandstone Mint SM





White Marble RW




Silver Quartzitic Slate QS







Sutra Black BM



PARAGON CHEVRON PP1



4" x 11 1/2" Stone depth: 1/4" - 5/8" Tile Surface: Honed Meshed back interlocking tile with pre-formatted wedge relief



Sandstone Mint **SM**


Sandstone Ocean

PARAGON HEX pp2

Hex: .38 sq.ft/piece Stone depth: 1/4" - 5/8"



Tile Surface: Honed Meshed back interlocking tile with pre-formatted wedge relief





Sandstone Mint **SM**

Sandstone Ocean **so**

MOSAIC

OUR CRAFTSPEOPLE HONOR THE AGE-OLD TRADITION OF MOSAIC WITH THE SAME LEVEL OF PERFECTION, PRECISION, AND MODERN SENSIBILITY YOU HAVE COME TO EXPECT FROM ISLAND STONE.

We source materials from Indonesia and India, where our artists cut pieces of stone that are then laid out onto a mesh grid to create an easy-to-install single tile. Simple to cut, shape, and customize, this series is an Island Stone interpretation of a beloved classic.

Island Stone®

đ

69

Į.


CLASSIC MOSAIC SQUARES

11 3/4" x 11 3/4" Stone depth: 1/2" Stone size: 1 7/8" x 1 7/8" Pre-formatted Mosaic tile. Tile surface: Honed/split face



Himachal White **HW** Rice White

Bali Cream **JC**



Exotic Sands Marble JO



Volcano Grey Marble **JG**



Himachal Black **HB**




Silver Quartzitic Slate **QS**



Blend: QC/MB/MX **\$10**



Blend: QS/AGH/ HW/HB **B10**





AVANT MOSAIC

11 3/4" x 11 3/4" Stone depth: 1/4" Stone size: 1 7/8" x 7/8" Pre-formatted Mosaic tile. Tile surface: Honed stone & crinkled glass








White Ocean **HW015**

Copper Earth **QC135** Silver Night **QS09S**



Rice White Solid & Mosaic Squares \ **T3JW** \ **M48JW**

QUARRIED STONE

BRING AN ELEMENTAL SIMPLICITY TO YOUR SPACE WITH SOLID QUARRIED STONE, A TILE THAT IMPLIES LUXURY WITHOUT AN OUNCE OF FUSSINESS.

Our solid stone series is ideal for outdoor and indoor installations with a rustic flair. Imagine showers, fireplaces, floors, and more elevated by the drama of quality stone.

The possibilities are truly limited only by your imagination.


Island Stone®

all we all




SOLID TILES


Our Solid Tile range comes in a selection of pre-cut sizes and trims.



CUSTOM SIZES


Island Stone offers unmatched capability in working with customers on producing custom sized tiles. For more information see page 139 for additional information on Island Stone custom order capabilities. islandstone.com \ Inspired by nature






EXOTIC SANDS

Tile surface: Honed





islandstone.com \ Inspired by nature

TROPICAL WHITE WP

Tile surface: Honed





Rustic II CR5 (Page 57)





V Squares CV1 (Page 58)



Large VTile CR4 (Page 60)

Briq CQ3 (Page 53)

Slat CT2 (Page 58)





GREY ANDESITE

Tile surface: Flamed & Chipped Solid Tile Sizes:





Tile surface: Honed

Rustic II CR5 (Page 57) V Squares CV1 (Page 58) Vtile II CR7 (Page 59) Large Vtile CR4 (Page 60)

SANDSTONE MINT SM

Tile surface: Split Face & Honed





Uniform CL1 (Page 56)



CR1 (Page 57)



Crescent Interlock CB1 (Page 64)



Crescent Interlock Mini CB3 (Page 64)



DP1 (Page 66)

Strip CS1 (Page 52)



Paragon Chevron PP1 (Page 67)



Rhythm interlock MW3 (Page 65)




Paragon Hex pp2 (Page 67)



VTile CR2 (Page 59)









Tile surface: Honed



DP1 (Page 66)




Paragon Chevron **PP1 (Page 67)**



paragon Hex **PP2 (Page 67)**

Island Stone Catalog \ Vol 6






islandstone.com \ Inspired by nature

SILVER QUARTZITIC SLATE SOLID SQUARE os

Tile surface: Split Face & Honed



COPPER QUARTZITIC SLATE

Tile surface: Split Face & Honed



Rustic CR1 (Page 57)




New Wave MW2 (Page 66)




Avant **M22 (Page 71)** Large VTile CR4 (Page 60)



Classic Square M48 (Page 70)





Tile surface: Split Face & Honed



Rustic **CR1 (Page 57)** Rhythm interlock MW3 (Page 65) Parallels CL2 (Page 54)



VTile **CR2 (Page 59)** Large VTile **CR4 (Page 60)**



Crescent Interlock **CB1 (Page 64)**



Crescent Interlock Mini **CB3 (Page 64)**



CR4 (Page 60)




New Wave **MW2 (Page 66)**

83

islandstone.com \ Inspired by nature





De P

app.

-

457

1

1

island timber



TIMBER CLADDING

ISLAND STONE'S ROOTS IN EXOTIC INDONESIA ALLOWED US TO FALL IN LOVE WITH THE RUGGED BEAUTY OF OLD GROWTH TEAK WOOD.

For centuries, the people of Central Java and Sumatra constructed homes using teak in the traditional "Joglo" design. The wood is as durable today as it was when first felled, making it a perfect option for recycled timber cladding.

We source teak locally from unused homes and buildings, and then restore the timber to its original luster and beauty while preserving its storied history. Some of our timber displays natural teak colors ranging from light golden hues to weathered, smoky greys; some Island Timber captures the classic, bright painted colors of island homes.

Recycled teak allows your space to tell the story of the islands, and invites you to breathe new life into an ancient material.



89



PAPAN PLANKS kp1

Coverage: 10.7 sq.ft/bundle. Width: 6" (nominal dimensions) wide panels of varying length Lenghts & quantities of panels/bundle: 39 1/2" (3 Panels), 31 1/2" (2 Panels) 23 1/2" (2 Panels), 15 3/4" (2 Panels)



0

* A natural & painted mix is achieved by purchasing desired bundles of each and mixing them during installation.

Natural **PLS** Painted **WRN**



RIMBA KL3

15 3/4" x 7 1/8" Lengths: 15 3/4" Widths: 3 9/16", 2 3/8", 1 3/16″ Thickness: (Varied) 1/4- 3/8"



Tile surface: Natural and/or painted Interlocking tile

KAYU V-wood KR5

Tile size: 4 3/4" x 15 1/2" (3/8" to 7/8" thick wedge). Individual pieces: 1 1/8" x 15 1/2" (3/8" to 7/8" thick wedge).



Tile surface: Natural and/or painted Interlocking tile



Natural **PLS**

Mixed Natural & Painted WRN



Natural **PLS**



Mixed Natural & Painted **WRN**






5 INSTALLATION

INFORMATION pebble & random

SEE THE DIFFERENCE



PEBBLE TEST RESULTS

Material Code	ра	pc	pf	pg	pm/pw	pn	ро	pr	ps	pv
Material Name	Black and Tan Pebble	Medan Charcoal Pebble	French Tan Pebble	Flores Green Pebble	Antique Timor White Pebble	Native Earth Blend	Nightcap Blend	Java Grey Pebble	Sumba Speckled Pebble	Bird's Egg Blend
Description	Blend: pc & pf	Single Pebble	Single Pebble	Single Pebble	Single Pebble	Blend: pf ≺	Blend: pz & pc	Multiple Pebble Mix	Single Pebble	Blend: ps, pm & pg
Pebble/ Hue Variation	High	Low	Medium	Medium	Medium	High	Low	High	Low	High
Exterior Application	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Floor Use (flat and natural surface finishes)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Water Application	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*
Pool Application	No*	Okay*	No*	No*	Okay*	No*	Unknown	Okay*	Okay*	No*
Recommended Sealer					rating stone sea ted on a sample				e color and crea	ate glossier
Recommended Grout Color/Type	Sanded / Natural Grey	Sanded / Natural Grey	Sanded / Light Tan	Sanded / Light Tan	Sanded / Antique White	Sanded / Light Tan	Sanded / Natural Grey	Sanded / Natural Grey	Sanded / Natural Grey	Sanded / Natural Grey
Material Code	ру	pz	cb	cg	ct	cw				
Material Code Material Name	py Poppy Seed Blend	pz Alpine Pebble	cb Medan Charcoal/ French Tan	cg Flores Green/ Timor White	ct French Tan/ Medan Charcoal	cw Timor White /Medan Charcoal				
	Poppy Seed	Alpine	Medan Charcoal/	Flores Green/	French Tan/ Medan	Timor White /Medan				
Material Name	Poppy Seed Blend Blend:	Alpine Pebble Single	Medan Charcoal/ French Tan Blend pc	Flores Green/ Timor White Blend pg	French Tan/ Medan Charcoal Blend pf &	Timor White /Medan Charcoal Blend pm				
Material Name Description	Poppy Seed Blend Blend: pm, pc & pf	Alpine Pebble Single Pebble	Medan Charcoal/ French Tan Blend pc & pf	Flores Green/ Timor White Blend pg & pm	French Tan/ Medan Charcoal Blend pf & pcx	Timor White /Medan Charcoal Blend pm & pc				
Material Name Description Pebble/ Hue Variation	Poppy Seed Blend Blend: pm, pc & pf High	Alpine Pebble Single Pebble Low	Medan Charcoal/ French Tan Blend pc & pf High	Flores Green/ Timor White Blend pg & pm High	French Tan/ Medan Charcoal Blend pf & pcx High	Timor White /Medan Charcoal Blend pm & pc High				
Material Name Description Pebble/ Hue Variation Exterior Application Floor Use	Poppy Seed Blend Blend: pm, pc & pf High Yes	Alpine Pebble Single Pebble Low Yes	Medan Charcoal/ French Tan Blend pc & pf High Yes	Flores Green/ Timor White Blend pg & pm High Yes	French Tan/ Medan Charcoal Blend pf & pcx High Yes	Timor White /Medan Charcoal Blend pm & pc High Yes				
Material Name Description Pebble/ Hue Variation Exterior Application Floor Use (flat and natural surface finishes)	Poppy Seed Blend Blend: pm, pc & pf High Yes Yes	Alpine Pebble Single Pebble Low Yes	Medan Charcoal/ French Tan Blend pc & pf High Yes Yes	Flores Green/ Timor White Blend pg & pm High Yes Yes	French Tan/ Medan Charcoal Blend pf & pcx High Yes Yes	Timor White /Medan Charcoal Blend pm & pc High Yes Yes				
Material Name Description Pebble/ Hue Variation Exterior Application Floor Use (flat and natural surface finishes) Water Application	Poppy Seed Blend: pm, pc & pf High Yes Yes Okay* No* Recommende	Alpine Pebble Single Pebble Low Yes Yes Okay* Unknown	Medan Charcoal/ French Tan Blend pc & pf High Yes Yes Okay* No*	Flores Green/ Timor White Blend pg & pm High Yes Yes Okay* No* tte finish penett	French Tan/ Medan Charcoal Blend pf & pcx High Yes Yes Okay* No*	Timor White //Medan Charcoal Blend pm & pc High Yes Yes Okay* Okay* Iler. Oil based s			e color and crea	te glossier

*Okay: Utilizing natural stone in any harsher environment requires following appropriate guidelines as relates to installation and regular maintenance. Always use a qualified installer. *No : Not Recommended

FREQUENTLY ASKED QUESTIONS

- **Q** Is installing these products difficult to do?
- A Product is easy to install. Comprehensive Installation guidelines available online at www.islandstone.com.
- **Q** How do you cut Pebble & Random mosaics?
- **A** Use a standard wet tile saw with diamond blade for cutting stone.
- **Q** Can product be used on corners and curved surfaces?
- A Product is on mesh allowing it be applied to curved surfaces. Tiles are easily cut or hand placed to wrap edges.
- **Q** Is product difficult to clean and maintain?
- A Product is easy to maintain by regular sealing and can be cleaned with standard household cleaner appropriate for stone.

RANDOM TILE TEST RESULTS

- **Q** How do you clean these products?
- A Any basic cleaner is appropriate for these stones. For heavier duty we recommend a cleaner designated for cleaning "Natural Stone".
- **Q** Do these product require special maintenance?
- A Natural stone maintenance is dependent on the environment. Resealing should occur periodically depending on the environment of the installation. Please refer to sealers for recommendations on when to reseal
- **Q** What is the recommended overage for a project.
- A Generally we recommend ordering an additional 10%. For complicated projects involving extensive cutting (many edges) 15% should be considered.

Material Code	fx	ma	mb	mg	ml	mq	mw	mx	mz	qx
Material Name	Forest Marble Mix	Grey Marble	Beige Marble	Tan & Grey Marble	Sterling Grey Marble	Beige Mar- ble & Quartz Mix	Beige & Tan Marble Mix	Tan Marble	Black Basalt	Mixed Quartz
Description	Brown & Green	Single Stone	Stone & Glass	Blend: ma & mx	Single Stone	Blend: mb & qx	Blend: mb & mx	Single Stone	Single Stone	Quartz Blend
Hue Variation	High	low	low	low	low	high	low	low	low	High
Exterior Application		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Floor Use (flat and natural surface finishes)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Water Application	No*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*
Pool Application	No*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*
Recommended Sealer		ne stone it also			rating stone sea ics. All sealers h					
Recommended Grout Color/Type	Natural Grey/ Sanded	Natural Grey/ Sanded	Antique White/ Sanded	Natural Grey/ Sanded	Antique White/ Sanded	Light Tan/ Sanded	Light Tan/ Sanded	Light Tan/ Sanded	Natural Grey/ Sanded	Bright White/ Sanded
Material Code	rw	rz	xd	xf	xl	хх				
Material Name	White Marble	White Onyx	Black Forest Mix	French Mix	Sterling MegaMix	MegaMix Quartz & Marble				
Description	Single Stone	Single Stone	Blend: fg, mz & ma	Blend: ma, mb & mx	Blend: ml, mb & mx	Blend: mc, mb, mx & qx				
Pebble/ Hue Variation	Medium	High	Medium	Medium	Medium	High				
Exterior Application	Yes	Yes	Yes	Yes	Yes	Yes				
Floor Use (flat and natural surface finishes)	Yes	Yes	Yes	Yes	Yes	Yes				
Water Application	Okay*	Okay*	No*	Okay*	Okay*	Okay*				
Pool Application	Okay*	Okay*	No*	Okay*	Okay*	Okay*				
Recommended Sealer		ne stone it also			rating stone sea ics. All sealers h					
Recommended Grout Color/Type	Bright White/ Sanded	Light Tan/ Sanded	Light Tan/ Sanded	Light Tan/ Sanded	Antique White/ Sanded	Light Tan				

*Okay: Utilizing natural stone in any harsher environment requires following appropriate guidelines as relates to installation and regular maintenance. Always use a qualified installer. *No : Not Recommended

INFORMATION glass

ISLAND STONE GLASS TILES AND MOSAICS ARE CREATED FROM A TRANSPARENT PANE OF GLASS THAT UNDERGOES A PROCESS IN WHICH A LAYER OF COLORED GLASS IS BAKED ONTO THE BACK SURFACE.

Behind the color a second layer of opaque (white) glass is baked to the back surface of the glass to maximize the brightness and allow for a through colored appearance.

FREQUENTLY ASKED QUESTIONS

- **Q** Do I need a special contractor to install glass tile?
- A Installing glass tile can be done by any qualified tile contractor. Installer should always follow TCNA guidelines to insure the quality of the final installation.
- **Q** How do I cut Island Stone Glass?
- A Island Stone glass should be cut with a wet saw equipped with a glass specific wet saw diamond blade to eliminate chipping of the tile when cutting. Scorers and snappers (not a saw) can be utilized for making simple cuts with linear designs. Cutting of non linear mosaics should always be done on a wetsaw. Format specific techniques for cutting select glass mosaics are included in boxes as well as offered online under "resources at www.islandstone.com
- **Q** What do I do if I chip the glass when cutting?
- A Orders should always account for some overage, but for minor chips you can use a diamond sanding block.
- **Q** What can I do if I crack a tile once installed?
- A qualified installer can cut out individual tiles using a dremel with a proper bit, but it requires careful handling to not damage other tiles.
- **Q** What size grout joints do I use for glass?
- A For Mosaics, joints between tiles should match spacing on meshed sheet. For Beach tiles we generally recommend 1/16"- 1/8" grout lines
- **Q** Are there special requirements for installation cleanup?
- A Special attention should be made when finishing a glass installation to insure no grout haze remains on surfaceas once dry, grout can become more visible and affect finished installation.
- How do I clean my glass tile?
- A Any standard glass cleaner can be used for regular cleaning. For heavier duty cleaning we recommend using FILA PS87 which is a heavy duty tile specific cleaner.

- **Q** Is the glass see through?
- A The glass is transparent, but behind the color, we adhere an opaque white finish so that it can be applied over any surface without the color of the substrate affecting the brilliance of the tile.
- **Q** Can I customize my order?
- A Yes we offer custom service, including alternative colors, blends, textures, shapes, size, etc, but require minimum order quantities and lead times to produce.
- **Q** What kind of grout should I use?
- A While there are many possible options, we recommend using Bright White Sanded grout.
 Recommended Products:
 Grout: Bright White Sanded
 Sealing: Not necessary for glass, we recommend using a specific grout sealer designed for glass tile.
 Please ask your local tile dealer for available options
 Recommended Glass Cleaner : FILA PS87
- **Q** Can you use glass in areas that get hot?
- **A** Yes glass will not be adversely affected by normal heated areas in a home.
- **Q** Can you drill through glass?
- A Yes, you can drill through glass, but should use a specialized bit designed to drill through porcelain and glass to avoid cracking glass during process.
- **Q** What is the recommended overage for a project?.
- Generally we recommend ordering an additional 10%. For complicated projects involving extensive cutting (many edge) 15% should be considered.
- **Q** Beach Tile Specifications ?
- 665 lb Breaking Strength, Freeze/Thaw: Passed, COF: Dry .83 / Wet .72, Resistence to Chemical Substance: Passed.

INFORMATION QUARRIED STONE

THE STUNNING FORM OF ISLAND STONE'S QUARRIED STONE INTRODUCES A WHOLE NEW WORLD OF POSSIBILITIES.

Precision-cut, with either a natural or honed surface that enriches the color of the raw material, Island Stone Quarried Stone is truly transformational.

FREQUENTLY ASKED QUESTIONS

Q Can I grout claddings?

A Yes, generally designed as dry stack, flat surface (non wedge relief) claddings such as Strip can be grouted, but special care required related to cleaning grout during

- installation on split face finishes
- **Q** Do I need to seal claddings?
- A Depends on use. In exterior or wet environments claddings should always be sealed. Water based. penetrating stone sealers are generally recommended, but in environments where stone will face extreme exposure, oil based waterproof penetrating stone sealers may offer better protection. Always test sealer on stone as sealers can dramatically change surface appearance.
- **Q** Can natural stone products be used in wet areas?
- A Yes, approved stones (see chart) can be used in wet environments but should be applied to a waterproofed surface and should be sealed appropriately.
- **Q** Can claddings be used on floors?
- A Yes, flat surface (non wedge relief) claddings can be used on floors.
- **Q** What size grout joints do I use for solids?
- A Grout joints can vary to fit the look one is trying to achieve, we generally recommend between 1/16"-1/4".

- **Q** How do I turn corners with claddings?
- A Both miter cuts and butt joints are options. For details visit our online resources section at www.islandstone.com
- **Q** Are honed finished Solids tiles okay for floors?
- A Solids can be used for floors. For COF specifications visit our online resources section at www.islandstone.com
- **Q** Can materials be used on curved surfaces?
- A Yes, materials can be applied to a curved surface. Direction and length of product used, define the minimum radius required for material to fit curve.
- **Q** Can you install material on any surface?
- A Material should only be applied to a solid, immobile surface. If applying to drywall, we recommend first covering wall with a solid concrete board. If applying to a unique surface material make sure adhesive used is designed to work with both the tile and surface.
- **Q** What is the recommended overage for a project?
- A Generally we recommend ordering an additional 10%. For complicated projects involving extensive cutting (many edge) 15% should be considered.

QUARRIED STONE TEST RESULTS

Material Code	jc, jcc, jch	jg, jgc, jgh	jk	jo, joc, joh	jw, jwc, jwh	rw	wp	ср	tp	agc, agh, agx, akf &ax14s
Material Name	Bali Creme Marble	Volcano Grey Marble	Budis Creme Marble	Exotic Sands Marble	Rice White Marble	White Marble	Tropical White	Island Sage	Tropical Tan	Grey and Flecked Andesite (chipped)
Description	Indonesian M	arble					Indonesian Lii	mestone		Indonesian volcanic stone
Hue Variation	Low	Medium	Low	Medium	High	Medium	Low	Medium	Medium	Low
Exterior Application (Free Thaw approved)	*No	*No	*No	*No	*No	Okay*	Okay*	Okay*	Okay*	Okay*
Water Application/ Pool Application	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	*No	*No	*No	Okay*
Recommended Grout Color/Type	Sanded/ Light Tan	Sanded/ Natural Grey	Sanded/ Light Tan	Sanded/ Light Tan	Sanded/ Bright White	Sanded/ Bright White	Sanded/ Antique White	Sanded/ Antique White	Sanded/ Light Tan	Sanded/ Natural Grey

Material Code	bl	sm, smc	sg	so	hw, hw01s	hb	qc, qc13s	qs, qs09s	gd	bm & bm03s
Material Name	Temple Lava	Sandstone Mint	Sandstone Grey	Sandstone Ocean	Himachal White	Himachal Black	Copper Quartzite	Silver Quartzite	Golden Slate	Sutra Black
Description	Indonesian volcanic stone	Indian Sands	tone		Indian Quart:	zite			Indian Slate	
Hue Variation	Low	Low	Low	Low	High	Low	Low	Low	High	Low
Exterior Application (Free Thaw approved)	*No	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*	Okay*
Water Application/ Pool Application	Okay*	*No	*No	*No	Okay*	Okay*	*No	Okay*	*No	Okay*
Recommended Grout Color/Type	Sanded/ Natural Grey	Sanded/ Antique White	Sanded/ Natural Grey	Sanded/ Natural Grey	Sanded/ Bright White	Sanded/ Natural Grey	Sanded/ Light Tan	Sanded/ Natural Grey	Sanded/ Light Tan	Sanded/ Natural Grey

Material Code	s10	b10
Material Name	Tan Square Blend	Grey Square Blend
Description	Blend: qc, mb, mx	Blend: qs, ag, hw & hb
Hue Variation	Low	Low
Exterior Application (Free Thaw approved)	Okay*	Okay*
Water Application/ Pool Application	*No	Okay*
Recommended Grout Color/Type	Sanded/ Natural Grey	Sanded/ Natural Grey

*Okay: Utilizing natural stone in any harsher environment requires following appropriate guidelines as relates to installation and regular maintenance. Always use a qualified installer. *No : Not Recommended

VTILE OPENING A NEW DIMENSION IN DESIGN

Arguably the most versatile natural stone material on the market, its unique 3-dimensional structure offers designers a myriad of approaches to creating dramatic contemporary designs. The points below outline what areas to consider when looking to create original distinctive VTile designs.

LAYING DIRECTION

Vertical

- Popular with smaller, taller surfaces, vertical VTile designs give surface a stronger, imposing presence.

Horizontal

- The most common approach, bringing a wall to life with a distinct eye-catching background.

Varying directions

- Creates a complex illusion of shapes as light plays over the crisscrossed wedges.

PROFILE - PLACEMENT

Wave


- Placing VTiles back to back to create an undulating surface with a natural personality.

Stack

- Placing VTiles in the same directional manner to create powerful geometric designs.

ELEVATION - OFFSETS

How an individual VTile is placed as relates to the piece placed prior.



VTILE SINGLE & MULIT FORMAT INSPIRATION

A small selection of the many popular, easy to install layouts for VTiles.



VTile - Stacked 25% offset



VTile & Large V - 1 to 1 stacked 50% offset



VTile & Large V - 1 to 1 wave

VTile - Wave 25% offset

50% offset



VTile - Stacked 100% offset, opposing directions



VTile & Large V - 2 to 1 stacked 50% offset, opposing directions

INFORMATION Island timber

OUR WALL CLADDINGS ARE DESIGNED EXCLUSIVELY FOR WALLS AND/OR OTHER NON-TRAFFIC AREAS.

Panels and claddings are cut to a minimal thickness to offer a lightweight, versatile design. Surfaces are finished with a light coating to protect and enhance the product's appearance.

FREQUENTLY ASKED QUESTIONS

- **Q** How do I install Island Timber products?
- A Island Timber wood panels and claddings can be used on virtually any clean, flat and sealed surface. All timber products are designed to be permanently applied to a wall or ceiling. We recommend using an adhesive along with nails to adhere. Detailed instructions are available on our website.
- **Q** Where can I use Island Timber?
- **A** Island Timber wall claddings are designed exclusively for walls and/or other non traffic areas.
- Residential interior walls: Living room, bedroom room, kitchens and bathrooms.
- Commercial interior walls.
- Exterior. Teak is renown for its resilience to weather, but all wood will weather over time and tile installed in adverse or high exposure areas will require maintenance to keep product from deteriorating.
- Not recommended: High heat environments, wet environments, exposure to chemicals.
- **Q** Who do I hire to install Island Timber?
- A Tile installers or general contractors can install Island Timber products by following our instructions provided in detail on our website.
- **Q** Can I use this in an area that has fire rating requirements?
- **A** We have tested the ¼" thick teak and received back a "B" fire rating which is acceptable for most projects.

- **Q** Where is the wood from?
- **A** We salvage our reclaimed teak from homes in Indonesia that have previously been torn down.
- **Q** Do I need to seal?
- A No, sealing is not required. Teak contains natural oil that maintains its appearance. If used in an exterior installation, occasional re-application of teak oil is recommended.
- **Q** Can I use for flooring?
- A Use on floors is not recommended due to the thin design of the products.
- **Q** Can material be used on a fireplace?
- **A** Material can be used in areas of fireplace that are not exposed to flames such as facade.
- **Q** Can wood be stained/painted after application?
- A Product is sold as finished. Application of additional finishes is not recommended.
- **Q** Can I get custom colors?
- A Custom colors or single colors are available as a special order.
- **Q** Does product need to acclimate before being applied?
- **A** A one week acclimation period is recommended.

THANK YOU

ISLAND STONE'S PHILOSOPHY REVOLVES AROUND CONTINUALLY RE-INVENTING OURSELVES AND EMBRACING NEW MEDIUMS THAT BOTH COMPLIMENT AND ELEVATE OUR ORIGINAL ICONIC PEBBLE.

None of this innovation would be possible without the partnerships we have created around the world with creative, hard working, and compassionate people. Our exotic roots provide a continuous inspiration that moves us to share the rich beauty of Indonesia, our adopted island home. Thank you for continuing to support Island Stone and Island Timber, and for believing in the pebble that would launch a 20-year business. We hope you enjoy the products made possible by inspired design, perseverance, and partnership.

Island Stone®



Grey Marble Random Squares \ RS3MA

Island Stone®

FOR FURTHER INFORMATION OR YOUR NEAREST SUPPLIER PLEASE VISIT: ISLANDSTONE.COM

Note: While every effort has been made to capture a true likeness to color, color samples and photographs seen in this publication may not be an exact color match of product. All images © Island Stone International Ltd, 2015. | © Island Stone International Ltd, 2015. All rights reserved