

# QUICK REFERENCE GUIDE 2019



Ceramic Matrix

# QUICK REFERENCE GUIDE 2019


## COLLECTIONS

NERI Solid Glaze	04
STUDIO Translucent Glaze	22
RIVIERA Multi Tone Glaze	30
EARTH Matte Crackle	40
OCEAN Micro Crackle	44
HAMPTON Classic Crackle	48
DIAMONDS Dimensional Field	56
PENNY ROUNDS	59
FLOOR	
Glazed Porcelain Tiles (39% Recycled)	60
Glazed Porcelain Mosaics	64
Glass Floor Tiles	66

INSTALLATION & MAINTENANCE	68
FLOOR TECHNICAL DATA	71


FIELD TILES

FLAT




TRIMS

FINISHING EDGES




- ADNZ 506 FE 0.4"x6"
- ADNZ 508 FE 0.4"x8"
- ADNZ 500 FE Corner

FLAT GLAZED EDGES




FLAT BULLNOSES




- ADNZ 805 3"x6" SBN 6"
- ADNZ 806 3"x6" SBN 3"
- ADNZ 807 3"x6" DBN Right
- ADNZ 808 3"x6" DBN Left
- ADNZ 803 6"x6" SBN
- ADNZ 804 6"x6" DBN
- ADNZ 810 4"x8" SBN 4"
- ADNZ 811 4"x8" SBN 8"
- ADNZ 812 4"x4" DBN
- ADNZ 800 2"x2" DBN
- ADNZ 826 2"x6" SBN 6"
- ADNZ 828 2"x8" SBN 8"

BEVELED





TRIMS

BEVELED GLAZED EDGES




- ADNZ 907 3"x6" Beveled SGE 3"
- ADNZ 908 3"x6" Beveled SGE 6"
- ADNZ 933 3"x3" Beveled DGE
- ADNZ 911 4"x8" Beveled SGE 4"
- ADNZ 910 4"x8" Beveled SGE 8"
- ADNZ 944 4"x4" Beveled DGE

DECORATIVE ACCESSORIES



FINISHING TOUCHES





ADZN



ADZN




ADZN






## FIELD TILES

### FLAT




## TRIMS

### FINISHING EDGES




- ADNB ➔ 506 FE 0.4"x6"
- ADNB ➔ 508 FE 0.4"x8"
- ADNB ➔ 500 FE Corner

### FLAT GLAZED EDGES




### FLAT BULLNOSES




- ADNB ➔ 805 3"x6" SBN 6"
- ADNB ➔ 806 3"x6" SBN 3"
- ADNB ➔ 807 3"x6" DBN Right
- ADNB ➔ 808 3"x6" DBN Left
- ADNB ➔ 803 6"x6" SBN
- ADNB ➔ 804 6"x6" DBN
- ADNB ➔ 810 4"x8" SBN 4"
- ADNB ➔ 811 4"x8" SBN 8"
- ADNB ➔ 812 4"x4" DBN
- ADNB ➔ 800 2"x2" DBN
- ADNB ➔ 826 2"x6" SBN 6"
- ADNB ➔ 828 2"x8" SBN 8"

### BEVELED





## TRIMS

### BEVELED GLAZED EDGES




- ADNB ➔ 907 3"x6" Beveled SGE 3"
- ADNB ➔ 908 3"x6" Beveled SGE 6"
- ADNB ➔ 933 3"x3" Beveled DGE
- ADNB ➔ 911 4"x8" Beveled SGE 4"
- ADNB ➔ 910 4"x8" Beveled SGE 8"
- ADNB ➔ 944 4"x4" Beveled DGE

## DECORATIVE ACCESSORIES




## FINISHING TOUCHES






FIELD TILES

FLAT




TRIMS


FINISHING EDGES



FLAT BULLNOSES




BEVELED




TRIMS


BEVELED GLAZED EDGES



DECORATIVE ACCESSORIES



FINISHING TOUCHES











FIELD TILES

FLAT




TRIMS


FINISHING EDGES



FLAT BULLNOSES




BEVELED





TRIMS


BEVELED GLAZED EDGES




DECORATIVE ACCESSORIES



FINISHING TOUCHES







NERI Solid Glaze  
BLACK

Find out the product code simply by  
putting together the color and the item

Example: **ADNK** **836**

FIELD TILES


FLAT



**ADNK 836** 3"x6"

TRIMS


FINISHING EDGES



**ADNK 506** FE 0.4"x6"

**ADNK 500** FE Corner

FLAT BULLNOSES




**ADNK 805** 3"x6" SBN 6"

**ADNK 806** 3"x6" SBN 3"

**ADNK 807** 3"x6" DBN Right

**ADNK 808** 3"x6" DBN Left

BEVELED




**ADNK 936** 3"x6" Beveled



**ADNK 924** 3"x3" Beveled  
(Only comes with Double Glazed Edge)

TRIMS

BEVELED GLAZED EDGES




**ADNK 907** 3"x6" Beveled SGE 3"

**ADNK 908** 3"x6" Beveled SGE 6"

**ADNK 933** 3"x3" Beveled DGE


DECORATIVE ACCESSORIES



**ADLK 213** 1"x6" Flat Liner



**ADLK 226** 0.7"x6" Stripe Liner



**ADCK 220** 1"x12" Stripe Liner



**ADLK 204** 1"x6" Quarter Round




**ADLK 223** Beak



**ADCK 200** 0.8"x12" Corner Trim

FINISHING TOUCHES



**ADLK 201** 2"x6" Rail Molding

END CAPS




**ADLK 203**

FRAME CORNERS



**ADLK 236**



**ADLK 224** 1.4"x6" Chair Molding



**ADLK 234**



**ADLK 232**




**ADLK 217** 2.8"x12" Crown Molding



**ADLK 227**



**ADLK 305**




**ADLK 227** 2"x8" Chair Molding



**ADLK 225**




**ADLK 230**



**ADNK 809** 6"x6" Base Board  
(Glazed Top Edge)



**ADNK 233** End Cap



**ADCK 809** 6"x12" Base Board  
(Glazed Top Edge)



**ADCK 899** End Cap

ADNK



# STUDIO Translucent Glaze

## AVAILABLE COLORS

- Snow Cap **ADSTW**
- Bamboo **ADSTB**
- Ice Blue **ADSTI**
- Fern **ADSTF**
- Almond **ADSTA**
- Eucalyptus **ADSTE**
- Silver Sands **ADSTS**
- Graystone **ADSTG**
- Timberline **ADSTT**
- Volcanico **ADSTV**

Find out the product code simply by putting together the color and the item

Example: **ADSTW** **836**

# STUDIO Translucent Glaze

## AVAILABLE COLORS


- Snow Cap **ADSTW**
- Bamboo **ADSTB**
- Ice Blue **ADSTI**
- Fern **ADSTF**
- Almond **ADSTA**
- Eucalyptus **ADSTE**
- Silver Sands **ADSTS**
- Graystone **ADSTG**
- Timberline **ADSTT**
- Volcanico **ADSTV**

Find out the product code simply by putting together the color and the item

Example: **ADSTW** **836**


## FIELD TILES

### UNDULATED




## TRIMS


### FINISHING EDGES



### UNDULATED GLAZED EDGES




### FRAMED



## TRIMS

### FRAMED GLAZED EDGES



### BEVELED



## TRIMS

### BEVELED GLAZED EDGES




## DECORATIVE ACCESSORIES




504 5.8"x5.8" Universe Deco




505 5.8"x5.8" Planet Deco



301 5.8"x5.8" Vizcaya Deco



103 2.8"x7.8" Palm Beach Border



102 3.8"x7.8" Gables Border



104 1"x7.8" Ponciana Liner



203 1.2"x7.8" Round Bar Liner



205 1"x5.8" Quarter Round



206 Beak




207 0.7"x7.8" Stripe Liner

### HAND PAINTED




ADSTH 136 2.8"x5.8" Flower Border Dawn (Bamboo Background)



ADSTH 166 5.8"x5.8" Flower Deco Dawn (Bamboo Background)




ADSTH 236 2.8"x5.8" Flower Border Dusk (Bamboo Background)



ADSTH 266 5.8"x5.8" Flower Deco Dusk (Bamboo Background)

## FINISHING TOUCHES





ADSTW



ADSTI



ADSTB



ADSTF





ADSTA



ADSTS



ADSTE



ADSTG









# RIVIERA Multi Tone Glaze

## AVAILABLE COLORS


- Lido White **ADRLI**
- Niza Blue **ADRNI**
- Altea Blue **ADRAL**
- Santorini Blue **ADRSA**
- Monaco Red **ADRMO**
- Cadaques Gray **ADRCGA**
- Mundaka Gray **ADRMU**
- Rodas Blue **ADRRRO**
- Rimini Green **ADRRRI**
- Malvarrosa **ADRMA**

Find out the product code simply by putting together the color and the item

Example: **ADRLI** **844**


## FIELD TILES

### FLAT




## TRIMS


### FINISHING EDGES



## DECORATIVE ACCESSORIES



## FINISHING TOUCHES



ADRLI





















# EARTH Matte Crackle

## AVAILABLE COLORS

Navajo White **ADEW** Fawn **ADEF** Ash Gray **ADEG** Morning Sky **ADEM**

Find out the product code simply by putting together the color and the item

Example: **ADEW** **836**

### FIELD TILES

#### UNDULATED



**836** 3"x6"



**831** 3"x12"


#### TEXTURED




**836T** 3"x6" Textured



**831T** 3"x12" Textured



**101** 3"x6" Waves



**102** 3"x12" Waves

### TRIMS

#### FINISHING EDGES




FE




FE Corner

**506** FE 0.5"x6"  
**512** FE 0.6"x12"  
**500** FE Corner 6"  
**501** FE Corner 12"


### DECORATIVE ACCESSORIES



**502** 6"x6" Energy Deco




**503** 6"x6" Cosmos Deco



**206** 1"x6" Bar Liner



**207** 1"x12" Bar Liner




**204** 1"x6" Quarter Round




**205** Beak

### FINISHING TOUCHES



**200** 2.4"x6" Molding



**201** 2.4"x12" Molding



**809** 5.1"x6" Base Board  
(Glazed Top Edge)




**810** 5.1"x12" Base Board  
(Glazed Top Edge)

END  
CAPS



**202**



**899**

FRAME  
CORNERS



**203**

**ADEW**





ADEF



ADEG



ADEM





# OCEAN Micro Crackle

## AVAILABLE COLORS

Whitecaps **ADOW** Sand Dollar **ADOS** Surf Gray **ADOG** Top Sail **ADOT**

Find out the product code simply by putting together the color and the item

Example: **ADOW** **836**

### FIELD TILES

UNDULATED



**836** 3"x6"



**839** 3"x9"

### TRIMS

FINISHING EDGES



FE




FE Corner

**506** FE 0.4"x6"

**509** FE 0.4"x9"

**500** FE Corner

GLAZED EDGES



**801** 3"x6" SGE 6"

**802** 3"x6" SGE 3"

**803** 3"x6" DGE Right

**804** 3"x6" DGE Left


**805** 3"x9" SGE 9"

**806** 3"x9" SGE 3"


**807** 3"x9" DGE Right

**808** 3"x9" DGE Left

### DECORATIVE ACCESSORIES



**501** 6"x6" Persian Deco



**502** 6"x6" Caspian Deco



**207** 0.8"x6" Stripe Liner



**208** 1"x6" Bar Liner



**209** 1"x6" Quarter Round



**210** Beak


### FINISHING TOUCHES



**201** 1.2"x6" Chair Molding



**204** 2"x6" Rail Molding



**809** 6"x6" Base Board  
(Glazed Top Edge)

END CAPS



**202**



**205**



**810**

FRAME CORNERS



**203**



**206**

**ADOW**





ADOS



ADOT



ADOG





# HAMPTON Classic Crackle

## AVAILABLE COLORS

White **ADHWH** Bone **ADHBQ**

Find out the product code simply by putting together the color and the item

Example: **ADHWH** **836**

# HAMPTON Classic Crackle

## AVAILABLE COLORS

White **ADHWH** Bone **ADHBQ**

Find out the product code simply by putting together the color and the item

Example: **ADHWH** **836**

## FIELD TILES

### FLAT




**836** 3"x6"



**882** 2"x8"



**824** 2"x4" Mesh Mounted 12"x12"



**866** 6"x6"



**848** 4"x8"

## TRIMS

### FINISHING EDGES



FE



FE Corner

**506** FE 0.4"x6"


**508** FE 0.4"x8"

**500** FE Corner


### FLAT BULLNOSES



SBN



SBN



DBN

**805** 3"x6" SBN 6"

**806** 3"x6" SBN 3"

**807** 3"x6" DBN Right

**808** 3"x6" DBN Left

**803** 6"x6" SBN

**804** 6"x6" DBN

**810** 4"x8" SBN 4"

**811** 4"x8" SBN 8"


**812** 4"x4" DBN

**822** 2"x2" DBN

**826** 2"x6" SBN 6"

**828** 2"x8" SBN 8"


### BEVELED



**936** 3"x6" Beveled




**933** 3"x3" Beveled (Only comes with Double Glazed Edge)




**924** 2"x4" Beveled Mesh Mounted 12"x12"

## TRIMS

### BEVELED GLAZED EDGES



SGE



SGE




DGE

**906** 3"x6" Beveled SGE 3"


**905** 3"x6" Beveled SGE 6"

**933** 3"x3" Beveled DGE


## DECORATIVE ACCESSORIES



**101** 3"x6" Waves



**107** 3"x6" Byzantine



**114** 3"x6" Sea



**113** 3"x6" Classic



**207** 1"x6" Bar Liner




**220** 0.7"x6" Stripe Liner



**203** 1"x6" Quarter Round



**216** Beak



**202** 1"x6" Rope

## FINISHING TOUCHES

### END CAPS



**214**



**228**



**215**



**227**



**302**



**229**

### FRAME CORNERS



**304**



**300**




**305**




**306**




**303**




**201** 2"x6" Rail Molding




**219** 1.4"x6" Chair Molding




**209** 2"x6" Greek Molding



**217** 3"x6" Crown Molding



**301** 2"x8" Chair Molding



**809** 6"x6" Base Board (Glazed Top Edge)

ADHWH



ADHBQ



ADHBQ





# HAMPTON Classic Crackle

## AVAILABLE COLORS

Cadet Gray **ADHCG** Stratus **ADHSG** Stellar Blue **ADHSB**

Find out the product code simply by putting together the color and the item

Example: **ADHCG** **836**

# HAMPTON Classic Crackle

## AVAILABLE COLORS


Cadet Gray **ADHCG** Stratus **ADHSG** Stellar Blue **ADHSB**

Find out the product code simply by putting together the color and the item

Example: **ADHCG** **836**


### FIELD TILES

#### FLAT




### TRIMS


#### FINISHING EDGES



#### FLAT BULLNOSES




#### BEVELED




### TRIMS


#### BEVELED GLAZED EDGES



### DECORATIVE ACCESSORIES



### FINISHING TOUCHES



ADHCG



ADHSG



ADHSB





# DIAMONDS Dimensional Field


## AVAILABLE COLORS

White **ADNZ** Bone **ADNB**

Find out the product code simply by putting together the color and the item

Example: **ADNZ** **684**

### FLAT




**684** 8"x4" Flat

### PILLOW




**884** 8"x4" Pillow



**881** 4"x4" Half Pillow

### PILLOW SILVER



**ADMS 884** 8"x4" Pillow Silver

## ACCENT DOTS

### AVAILABLE COLORS

White **ADNZ** Bone **ADNB** Sierra Sand **ADNSS** Silvert Mist **ADNSM** Silver **ADNS** Gold **ADNG** Black

### CERAMIC FLAT



**6840** Accent Dot 3/4"x3/4"

## ACCENT DOTS


### AVAILABLE COLORS

White **ADNZ** Bone **ADNB** Sierra Sand **ADNSS** Silvert Mist **ADNSM** Silver **ADNS** Gold **ADNG** Black **ADLK** Red **ADNR**

### CERAMIC SPHERE



**6842** Accent Dot 3/4"x3/4"







ADNZ



ADNB

ADNG

# PENNY ROUNDS Glazed Porcelain Mosaics


Find out the product code simply by putting together the color and the item

Example: **ADPZ** **700**

## AVAILABLE COLORS

- White **ADPZ**
- Almond **ADPA**
- Light Gray **ADPG**
- Light Smoke **ADPS**
- Taupe **ADPT**
- Light Sandstone **ADPSS**
- Light Blue **ADPB**
- Black **ADPK**

## MESH MOUNTED



**700** Penny Rounds 12.4"x11.5"



ADPK




# FLOOR

Glazed Porcelain Tiles (39% Recycled)

## SQUARE

AVAILABLE COLORS

White **ADFW** Bone **ADFB** Light Gray **ADFL** Dark Gray **ADFD** Azure **ADFA** Black **ADFK**



**500** 7.4"x7.4" Square

## PICKETS

AVAILABLE COLORS

White **ADFW** Bone **ADFB** Light Gray **ADFL** Dark Gray **ADFD** Wood **ADFM** Azure **ADFA** Black **ADFK**



**700** 1.5"x9" Picket

Find out the product code simply by putting together the color and the item

Example: **ADFW** **500**





# FLOOR

Glazed Porcelain Tiles (39% Recycled)


Find out the product code simply by putting together the color and the item

Example: **ADFW** **300**

## HEX

AVAILABLE COLORS

White **ADFW** Bone **ADFB** Light Gray **ADFL** Dark Gray **ADFD** Azure **ADFA** Black **ADFK**




**300** 8"x9" Hex

## HEX DECO

AVAILABLE COLORS

Bone **ADFB** Light Gray **ADFL** Dark Gray **ADFD** Azure **ADFA** Black **ADFK**



**301** 8"x9" Hex Deco





# FLOOR

## Glazed Porcelain Mosaics

Find out the product code simply by putting together the color and the item


Example: **ADMW** **400**

### PINWHEEL


AVAILABLE COLORS

White **ADMW** Bone **ADMB**

#### MESH MOUNTED



**400** Pinwheel 12"x12"




**ADMWK 400** Pinwheel 12"x12" Black & White

### HEX 2"

AVAILABLE COLORS

White **ADMW** Bone **ADMB**

#### MESH MOUNTED



**522** Hex 2" 11.1"x10.7"







**FLOOR**  
Glass Floor Tiles (98% Recycled)

**VINTAGE HEX 1"**


**MESH MOUNTED**



**ADGL 946** Vintage Hex 1" White 11.85"x11.41"



**ADGL 945** Vintage Hex 1" Flower B&W 11.85"x9.13"



**ADGL 947** Vintage Hex 1" Black 11.85"x11.41"





# INSTALLATION & MAINTENANCE

## PRIOR TO INSTALLATION

The surface where the product is going to be installed must be clean and level.

We strongly recommend dry laying prior to installation. Blending of the ceramic tile glaze is key to insuring a pleasing overall look to your room. This will resolve any color or size issues prior to installation and will serve as a review of tile placement.

We recommend all our tiles to be installed using the prevailing guidelines as set forth in the TCNA (Tile Council of North America) Handbook and the ANSI (American National Standards Institute) specifications.

Installation should be carried out by experienced personnel.

## CERAMIC TILES

### SETTING MATERIALS

For Porcelain Tiles, install with any high-quality adhesive recommended for porcelain tiles. This must also be suitable for the environment they will have to withstand.

Fitting with traditional mortars does not ensure good adhesion.

For Glass tiles, install with any high-quality adhesives recommended for glass floor tiles. This must also be suitable for the environment they will have to withstand. Fitting with traditional mortars does not ensure good adhesion.

For Mud Installations, all setting materials and installation methods should be performed using the prevailing guidelines set by the Tile Council of America and the ANSI Specifications.

### GROUT

**Unsanded** grout is typically used for grout joints 1/8" or smaller.

**Sanded** grout is recommended for grout joints larger than 1/8", as long as the excess material is removed with a damp sponge. Using notched trowels or grout floats may scratch the tile. Special care should be exercised with high sheen surfaces.

**We do not recommend contrasting color grouts on our crackled glazed tiles.**

The color of the grout should be as close as possible to the color of your tile.

**NOTE:** *We use Sanded grout in most of our display boards to keep them intact during shipping.*

### METHOD

Follow the appropriate standard ceramic procedures provided by the TCNA (Tile Council of North America) Handbook and the ANSI (American National Standards Institute) specifications.

The surfaces of raised/dimensional decorative accents, borders or liners can be taped off during grouting to facilitate cleanup.

To help keep border, liner and molding grout joints tight, offset the joints between field tile, trim and accent rows.

### SEALING

Sealing is not required for Solid Glazes.

**Sealing is mandatory for Crackle Glazes. We recommend sealing our crackled glaze tiles with a solvent based penetrating sealer before and after grouting.**

1. The sealer penetrates the fine, hairline fissures in the glaze and prevents dirt and dusk darkening the crackle over a period of time.
2. Sealing the crackled glaze makes it easier to maintain and clean.
3. Proper application of the sealer (wipe off any excess from glazed surface) will not harm or change the appearance of the tile.
4. Reapply to grout joints and crackle glazes periodically as needed. When water no longer beads on the surface of the joints, resealing is required.

We recommend the following products and procedures:

Once the tile is mounted on the wall and before grouting, the tile surface must be clean and free of dirt and dust. Use the **FILA MP90 - Natural Look Penetrating Sealer** (Available in our Price List) which is a solvent based

sealer. Apply an even coat of FILAMP90 with a paintbrush or lambswool applicator pad. Wait 24 Hours to allow the product to cure. Apply grout with a sponge evenly distributing grout over joints. **Do not use a grout float.**

**NOTE:** *When using Contrasting Color Grouts, it is imperative that the tiles are thoroughly sealed to avoid the discoloration from the grout pigment. Please follow the mixing grouting instructions of the Grout Manufacturer.*

Once the grouting is completed and allowed to dry, the surface of the tiles must be cleaned using **FILA CLEANER - Neutral Cleaner** (Available in our Price List) observing the following guidelines: Dilute to 1:30. Clean the surface with a cloth and scrubbing brush. Remove any residue and rinse thoroughly.

After the thorough cleaning of the surface and grout residue, the tile will need to be resealed using the FILA MP90 - Natural Look Penetrating Sealer (Available in our Price List) observing the following guidelines: Apply an even coat of FILAMP90 with a paintbrush or lambswool applicator pad. Wipe off product excess after 15 minutes, making sure to rub the product and help its complete penetration into the material. Wait 24 Hours to allow the product to cure.

**NOTE:** *Future Sealing of the product should be done if you see any discoloration/ darkening in the body of the tile. This will vary by end usage, care and maintenance products and tools used.*

**If you use any other sealer, please check with the manufacturer for the proper instructions and products to use for sealing crackled glaze ceramic tile.**

### MAINTENANCE

For walls: clean tile regularly with a non-abrasive/non-acidic, mild and PH neutral cleaner.

We recommend **FILA CLEANER - Neutral Cleaner** (Available in our Price List) for all cleaning purposes of our tile.

Sealer: Reapply to grout joints and crackle glazes periodically as needed. When water no longer beads on the surface of the joints, resealing is required.

## PORCELAIN TILES & GLASS MOSAICS

### SETTING MATERIALS

For Porcelain tiles, install with any high-quality adhesive recommended for porcelain tiles. This must also be

suitable for the environment they will have to withstand. Fitting with traditional mortars does not ensure good adhesion.

For Glass tiles, install with any high-quality adhesives recommended for glass floor tiles. This must also be suitable

for the environment they will have to withstand. Fitting with traditional mortars does not ensure good adhesion.

For Mud Installations, all setting materials and installation methods should be performed using the prevailing guidelines set by the Tile Council of America and the ANSI Specifications.

### GROUT

For Porcelain tiles, we recommend using a minimum of 5/64-inch (0.08" or 2 mm) spacers for a perfect alignment of the tiles. It will also be necessary to make small adjustments by hand to compensate for the natural dimensional variations of the tiles. The joints should be filled in with appropriate materials according to the specifications given by the joint filling material manufacturer. We do not recommend the installation of porcelain tiles without joints.

### METHOD

Follow the appropriate standard ceramic, porcelain and glass tile installation procedures provided by the TCNA (Tile Council of North America) Handbook and

the ANSI (American National Standards Institute) specifications.

### MAINTENANCE

Clean the tile regularly with a non-abrasive/ non-acidic, mild and PH neutral cleaner.

We recommend FILA CLEANER - Neutral Cleaner (Available in our Price List) for all cleaning purposes of our tile.

Use products which are suitable to eliminate the remains of mortar, cement, etc. Never use an acidic cleaning agent on newly installed flooring because the acid reacts with the unset cement and can damage the seals, or insoluble compounds can be deposited on the surface of the paving.

Do not use metal scrapers or abrasive pads.

Daily cleaning, after use, will be made particularly easy as it only requires clean water and a very well-wrung cloth. In areas where the tile could be especially messy (kitchens), a detergent with bleach or ammonia can be added to water, although in this case we always recommend giving a final rinse with clear water. Do not use waxes, oils or similar products. In some cases, we can find ourselves in the situation of having to clean very dry and specific stains, which cannot be removed with a damp cloth, but that will disappear if we apply concentrated bleach (the one for floors, not the one used for clothes) and leave it to dry. For especially resistant stains it may be necessary to repeat the process.

## PLEASE NOTE

Due to the nature of our tile, a certain amount of variation in color, shading, surface and texture are to be expected.

Use of the tile constitutes acceptance. We assume no responsibility for installation.

The installation information provided is to be used as a guideline only and should be discussed with a professional and accredited tile installer.

For floor surfaces, water, grease, oil, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection and maintenance.



CARE & MAINTENANCE	NERI	STUDIO	RIVIERA	EARTH	OCEAN	HAMPTON	DIAMONDS	PENNY ROUNDS	FLOOR	
									FIELD TILES	MOSAICS
Sealing recommended	Optional	Optional	Optional	Yes-Required*	Yes-Required*	Yes-Required*	Optional	Optional	Optional	Optional
Recommended cleaning	Routine with non-abrasive cleaners									

CHARACTERISTICS	NERI	STUDIO	RIVIERA	EARTH	OCEAN	HAMPTON	DIAMONDS	PENNY ROUNDS	FLOOR	
									FIELD TILES	MOSAICS
Glaze	Solid	Solid with subtle movement	Solid with high color variation	Crackle with subtle movement	Crackle with subtle movement	Crackle	Solid	Solid with subtle movement	Solid	Solid
Surface Sheen	Solid	Glossy	Solid	Semi-Matte	Glossy	Glossy	Glossy	Glossy	Semi-Matte	Semi-Matte
Texture	Smooth	Slightly Undulated	Smooth	Slightly Undulated	Slightly Undulated	Smooth	Smooth	Slightly Undulated	Smooth	Smooth
Color Variation	Slight	Medium	Slight	Medium	Medium	Medium	Slight	Medium	Slight	Slight

Application Guidelines		Neri	Studio	Riviera	Earth	Ocean	Hampton	Diamonds	Penny Rounds	Floor	
										Field Tiles	Mosaics
Bathrooms											
Residential	Walls	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
	Floors									✓	✓
	Countertops	✓	✓	✓						✓	✓
Commercial	Walls	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
	Floors										
	Countertops										
Showers / Steamrooms											
Residential	Walls	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
	Floors									✓	✓
Commercial	Walls	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
	Floors										
Kitchens											
Residential	Walls	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
	Floors									✓	✓
	Countertops	✓	✓	✓					✓	✓	✓
Commercial	Walls	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
	Floors										
	Countertops										
Fireplace Surrounds											
Residential	Interior	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
	Exterior**	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
Commercial	Interior	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
	Exterior**	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
Outdoor Cooking / Bar Spaces											
Residential	Walls	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
	Countertops									✓	✓
Commercial	Walls	✓	✓	✓	✓*	✓*	✓*	✓	✓	✓	✓
	Countertops									✓	✓
Pool Waterlines / Water Fountains											
Residential	Exterior**								✓	✓	✓
Commercial	Exterior**								✓	✓	✓

\* Crackle tiles must be properly sealed. (See SEALING instructions in INSTALLATION & MAINTENANCE guidelines)

\*\* Non-freeze / thaw climates

# FLOOR TECHNICAL DATA

FLOOR COLLECTION TECHNICAL DATA	TEST METHODS ASTM/ANSI/UNE	GLAZED PORCELAIN TILES		GLAZED PORCELAIN MOSAICS	GLASS FLOOR TILES
USE		Floor/Wall		Floor/Wall	Floor/Wall
TARGET DCOF * >.42Wet	ANSI A137-2012	>0.50		0.23	>0.42
PEI Rating	ANSI A137.1-2008 UNE EN ISO 10545-7	White	4	4	5
		Bone	3		
		Light Gray	3		
		Dark Gray	3		
		Azure	3		
		Black	2		
		Deco	3		
GLAZE COLOR VARIATION	CTDA Variation Guide	V2		V2	V4
MOISTURE ABSORPTION	ASTM C-373 UNE EN ISO 10545-3	≤ 0.50%*		0.40%	< 0.50%
BREAK STRENGTH	ASTM C-648 UNE EN ISO 10545-4	Pass		Pass	Pass
CHEMICAL RESISTANCE TO STAINING	ASTM C-650 UNE EN ISO 10545-14	Resistant		Resistant	Resistant
FREEZE-THAW RESISTANCE	ASTM C-1026 UNE EN ISO 10545-12	Yes		Yes	Yes





**CONTACT US**

**Corporate Headquarters  
South East Distribution Center**

9450 N.W.12th St.  
Miami, FL 33172  
Office: 305-513-4633  
Fax: 305-513-4634  
[customerservice@adexusa.com](mailto:customerservice@adexusa.com)

**West Coast Distribution Center**

2344 E. Walnut Ave.  
Fullerton, CA 92831  
Office: 714-773-0197  
Fax: 714-773-9352  
[customerservicewest@adexusa.com](mailto:customerservicewest@adexusa.com)

**North East Distribution Center**

1000 Wall St. W.  
Lyndhurst, NJ 07071  
Office: 201-355-8772  
Fax: 201-636-2802  
[customerservicene@adexusa.com](mailto:customerservicene@adexusa.com)









Our company has an environmental management system  
in place according to the Norm ISO 14001 certified by  
European Quality Assurance (EQA)