



ADEX  
since 1897




MOSAIC COLLECTION




**MOSAIC** Glazed Porcelain Mosaics  
**Glossy & Matte Finish**

**PENNY ROUNDS 3/4" | Mesh Mounted 12.38"x11.50"**


**GLOSSY FINISH**




**ADPZ 700**  
Penny Rounds White




**ADPB 700**  
Penny Rounds Light Blue




**ADPD 700**  
Penny Rounds Denim




**ADPTE 700**  
Penny Rounds Teal




**ADPSA 700**  
Penny Rounds Sage




**ADPSS 700**  
Penny Rounds Light Sandstone




**ADPG 700**  
Penny Rounds Light Gray



**ADPT 700**  
Penny Rounds Taupe




**ADPS 700**  
Penny Rounds Light Smoke




**ADPK 700**  
Penny Rounds Black

**MATTE FINISH**



**ADPZM 700**  
Penny Rounds Matte White



**ADPKM 700**  
Penny Rounds Matte Black







**MOSAIC** Glazed Porcelain Mosaics  
**Glossy & Matte Finish**

**HEXAGONS 1" | Mesh Mounted 11.97"x11.69"**

**GLOSSY FINISH**




**ADMZ 600**  
Hexagons White




**ADMB 600**  
Hexagons Light Blue




**ADMD 600**  
Hexagons Denim




**ADMTE 600**  
Hexagons Teal




**ADMSA 600**  
Hexagons Sage




**ADMG 600**  
Hexagons Light Gray



**ADMT 600**  
Hexagons Taupe




**ADMS 600**  
Hexagons Light Smoke




**ADMK 600**  
Hexagons Black

**MATTE FINISH**



**ADMZM 600**  
Hexagons Matte White



**ADMKM 600**  
Hexagons Matte Black





FIELD TILES		
SIZE	SIZE SPECIFICATIONS	THICKNESS*
MESH MOUNTED		
Penny Rounds 3/4" 12.38" x 11.50"	12.362"x11.496" (314mm x 292mm)	0.157" (4mm)
Hexagons 1" 11.97" x 11.69"	11.967"x11.693" (303.97mm x 297mm)	0.236" (6mm)
APPLICATIONS		
	SUITABLE RESIDENTIAL	SUITABLE COMMERCIAL
Bathroom Walls	YES	YES
Shower Walls	YES	YES
Kitchen Walls	YES	YES
Countertops	NO	NO
Fireplace Surrounds	YES	YES
Outdoor Cooking / Bar Spaces	YES	YES
Pool Waterlines / Water Fountains**	YES	YES
Floors***	YES	NO
PERFORMANCE CHARACTERISTICS		
	TEST METHOD ATSM / ISO	RESULT
Water Absorption	C-373 / 10545-3	0.00%
Breaking Strength	C-648 / 10545-4	N/A
Chemical Resistance	C-651 / 10545-14	Resistant
Facial Dimensions	C-499 / 10545-2	Avg. 18.741mm
Range of Thickness	C-499 / 10545-2	Avg. 4.924mm
Warpage	C-485 / 10545-2	0

INSTALLATION	
GROUT JOINT RECOMMENDATION	SHADE VARIATION
5/64"	V2 - Slight Variation

CLEANING RECOMMENDATIONS
Routine with a non-abrasive/non-acidic, mild and PH neutral cleaner

CHARACTERISTICS	
Glaze	Solid with subtle movement
Surface Sheen	Glossy & Matte
Texture	Slightly Undulated

\*Thickness is understood as the highest point of the tile.

\*\*Not recommended for freeze-thaw environments.

\*\*\* Only Matte Colors (White and Black) and for residential use.

Due to the nature of our tile, a certain amount of variation in color, shading, surface and texture are to be expected.



#### CONTACT US

**Corporate Headquarters**

**South East Distribution Center**

9450 N.W.12th St.  
Miami, FL 33172  
Office: 305-513-4633  
Fax: 305-513-4634  
[customerservice@adexusa.com](mailto:customerservice@adexusa.com)

**West Coast Distribution Center**

2344 E. Walnut Ave.  
Fullerton, CA 92831  
Office: 714-773-0197  
Fax: 714-773-9352  
[customerservicewest@adexusa.com](mailto:customerservicewest@adexusa.com)

**North East Distribution Center**

1000 Wall St. W.  
Lyndhurst, NJ 07071  
Office: 201-355-8772  
Fax: 201-636-2802  
[customerservicene@adexusa.com](mailto:customerservicene@adexusa.com)



Our company has an environmental management system in place according to the Norm ISO 14001 certified by European Quality Assurance (EQA)