



BITS

WOW

## **BITS**

The ceramic becomes a canvas of unlimited creativity. Inspired by the minimal unit of construction, each piece is a fragment ready to create your own space.

Vibrant colors and versatile finishes come together for you to be the architect of your environment. Discover beauty in simplicity, create your masterpiece with Bits.

***In every fragment, there is a universe of possibilities.***


-

La cerámica se convierte en un lienzo de creatividad ilimitada. Inspirada en la unidad mínima de construcción, cada pieza es un fragmento listo para crear tu propio espacio.

Colores vibrantes y acabados versátiles se combinan para que tú seas el arquitecto de tu entorno. Descubre la belleza en la simplicidad, crea tu obra maestra con Bits .

***En cada fragmento, hay un universo de posibilidades.***

|   |                |
|---|----------------|
| <b>01.</b><br>SIZES, COLOURS AND FINISHES /<br>FORMATOS, COLORES Y ACABADOS | <i>pag. 4</i>  |
| <b>02.</b><br>GET INSPIRED /<br>INSPIRATE                                   | <i>pag. 6</i>  |
| <b>03.</b><br>TECHNICAL FEATURES /<br>CARACTERÍSTICAS TÉCNICAS              | <i>pag. 28</i> |
| <b>04.</b><br>PACKING   | <i>pag. 29</i> |
| <b>05.</b><br>PRICE CODE<br>CÓDIGO DE TARIFA                                | <i>pag. 29</i> |
| <b>06.</b><br>TECHNICAL DRAWINGS /<br>DIBUJOS TÉCNICOS                      | <i>pag. 30</i> |
| <b>07.</b><br>RECOMMENDATIONS /<br>RECOMENDACIONES                          | <i>pag. 31</i> |



**BITS**



3,7x11,6 cm / 1.5"x4.6"

\$ W26




**BITS**



SQUARE 11,6x11,6 cm / 4.6"x4.6"

\$ W16





◀ **Bits Tundra** Matt 7% & **Storm** Matt 7%  
**Bits Square** Cider Matt 43% & **Kale** Matt 43%




**Bits Storm Matt** 37,5%, **Kale Matt** 25%,  
**Celadon Matt** 25% & **Tundra Matt** 12,5%

*Arch n° 1 & n° 3:* **Bits Celadon Gloss** 9,5% & **Kale Gloss** 5%  
**Bits Square** **Celadon Matt** 57% & **Tundra Gloss** 28,5%

*Arch n° 2:* **Bits Kale Gloss** 9,5% & **Celadon Gloss** 5%  
**Bits Square** **Kale Matt** 57% & **Tundra Gloss** 28,5%

*Floor:* **Bits Cloud Matt** 14,3% & **Bits Square Cloud Matt** 85,7%





◀ **Bits** Steel Blue Matt 95% & Steel Blue Gloss 5%  
**Bits Square** Steel Blue Matt & Tundra Matt

Floor: **Bits** Steel Blue Matt 25%, Tundra Matt 50% & **Bits Square** Steel Blue Matt 25%



Bar: **Bits Square** Storm Gloss 50% & Tundra Gloss 50%  
Floor A: **Bits** Cider Gloss 37,5%, Tundra Matt 62,5%  
Floor B: **Bits** Chestnut Gloss 37,5%, Tundra Matt 62,5%

**Bits** Cider Matt 21%, Kale Matt 21%,  
Tundra Matt 11,5% & Storm Gloss 2%  
**Bits Square** Cider Matt 22%,  
Kale Matt 10% & Tundra Matt 12,5%

Floor: **Bits Square** Storm Matt







◀ **Bits** Tundra Matt 25% & Kale Matt 75%

Wall: **Bits** Celadon Gloss & Tundra Gloss




**Bits** Cider Matt 46,6%, Steel Blue Matt 40% & Celadon Matt 13,4%

**Bits Square** Tundra Matt 36%, Cider Matt 1,7%, Steel Blue Gloss 21,4%, Scuba Blue Matt 12,5% & Storm Matt 21,4%

Wall: **Bits Square** Steel Blue Gloss





◀ **Wall:** **Bits** Chestnut Gloss  
**Bits Square** Tundra Matt 85% & Tundra Gloss 15%

**Floor:** **Bits** Tundra Matt 12,5%, Chestnut Matt 12,5%  
**Bits Square** Cider Matt 75%




**Bits Square** Tundra 31,25%, Cider 25%, Scuba Blue 37,5% & Storm Gloss 6,25%

**Bits Square** Chestnut Gloss & Tundra ▶

Floor: **Bits** Steel Blue Matt 18,2%, Scuba Blue Matt 9% & Storm Matt 18,2%  
**Bits Square** Tundra Matt 27,3% & Chestnut Matt 27,3%





◀ **Bits Cider Gloss & Scuba Blue**  
**Bits Square** Scuba Blue, Cider & Scuba Blue Gloss

Floor: **Bits Cider** 33,3%, Scuba Blue 16,7% & **Bits Square** Scuba Blue 50%



Wall: **Bits Square** Celadon Matt  
 Table: **Bits Square** Cider Matt 33,3%, Tundra Matt 33,3%  
 & Celadon Gloss 33,3%

**Bits** Celadon Matt 25% & Cider Matt 25%  
**Bits Square** Tundra Matt 75%

Wall: **Bits** Celadon Matt, Celadon Gloss  
**Bits Square** Celadon Gloss

















◀ **Bits** Tundra Matt 13,3%, Cider Matt 10%, Storm Matt 6,7%, Cloud Gloss 20%  
**Bits Square** Tundra Matt 10% & Cloud Gloss 40%

Floor: **Bits** Cider Matt 50% & **Bits Square** Cider Gloss 50%




03. TECHNICAL FEATURES / INFORMACIÓN TÉCNICA







**Porcelain tiles with water absorption B la ≤ 0,5% for interior and exterior floors and walls.**

Baldosas cerámicas prensadas en seco con absorción de agua B la ≤ 0,5% para suelos y paredes interiores y exteriores.

| FEATURES / CARACTERÍSTICAS  | SPECIFICATION / ESPECIFICACIÓN  | NORMA                                 |
|---|---|---------------------------------------|
|  Dimensional Features            | Bits:<br>37,2 mm +/- 0,9 mm x 115,5 mm +/- 0,9 mm<br>Bits Square:<br>115,5 mm +/- 0,9 mm x 115,5 mm +/- 0,9 mm                                | UNE-EN ISO 10545-2:2019               |
|  Water absorption                | $E_b \leq 0,5\%$  | UNE-EN ISO 10545-3:2018               |
|  Modulus of rupture              | Minimum 35 N/mm <sup>2</sup><br>Individual Minimum 32 N/mm <sup>2</sup>   | UNE-EN ISO 10545-4:2019               |
|  Abrasive resistance             | <b>PEI 5:</b> Tundra<br><b>PEI 4:</b> Cloud, Scuba Blue & Celadon<br><b>PEI 3:</b> Cider & Kale<br><b>PEI 2:</b> Steel Blue, Chestnut & Storm | UNE-EN ISO 10545-7:1999               |
|  Crazing resistance              | Pass  | UNE-EN ISO 10545-11:1997              |
|  Frost resistance               | Pass  | UNE-EN ISO 10545-11:1997              |
|  Household products resistance | GA  | UNE-EN ISO 10545-13:2017              |
|  Chemical resistance           | GHA   | UNE-EN ISO 10545-13:2017              |
|  Stain resistance              | >3  | UNE-EN ISO 10545-14:2015              |
|  Non-slip value                | R10 / CLASS 2 (Except Gloss)<br>DCOF >0,42 (Except Gloss)   | UNE-EN 16165:2022<br>ANSI A137.1:2012 |
|  Tone variation                | Medium  | -                                     |
|  Porcelain body                | -   | -                                     |

04. PACKING


|             |  |  | KG  | M2  |  | M2  |
|-------------|---|---|--|--|---|--|
| Modelo      | Formato (cm)  | Piezas / Caja   | Kg / Caja  | m2 / Caja  | Cajas / Palet   | m2 / Palet   |
| BITS        | 3,7x11,6 cm   | 114   | 9,655 kg   | 0,489 m <sup>2</sup>   | 102   | 49,878 m <sup>2</sup>  |
| BITS SQUARE | 11,6x11,6 cm  | 38  | 9,470 kg   | 0,507 m <sup>2</sup>   | 102   | 51,714 m <sup>2</sup>  |

|             |  |  | LB  | FT2  |  | FT2  |
|-------------|---|---|--|---|---|---|
| Model       | Format (in)   | Piezas / Box  | Lb/ box  | sq ft / Box   | Boxes / Pallet  | sq ft / Pallet  |
| BITS        | 1.5"x4.6"   | 114   | 21.285 lb  | 5.263 ft <sup>2</sup>   | 102   | 536.826 ft <sup>2</sup>   |
| BITS SQUARE | 4.6"x4.6"   | 38  | 20,877 lb  | 5.457 ft <sup>2</sup>   | 102   | 556.614 ft <sup>2</sup>   |

05. PRICE CODE

| MODEL / MODELO | PRICE CODE / CODIGO TARIFA |
|----------------|----------------------------|
| BITS           | W26                        |
| BITS SQUARE    | W16                        |





**BEFORE INSTALLING THE PRODUCT**

The surface where the product is being installed must be clean and level. It is recommended that the layout of the product is prepared before the final installation. Make sure you choose an adhesive apt for the area where the product is being installed. For installation on porous surfaces we recommend: Kerakoll Special® Eco, and for Non-porous surfaces: Kerakoll serie H40® Eco.

The choice of quality grouting mortar is crucial. We recommend Kerakoll Fugabella® Color. ([www.kerakoll.com](http://www.kerakoll.com))

**TO ENHANCE YOUR WOW PRODUCT**

In order to obtain the maximum WOW effect, use 2 mm - 0.078 in spacers between the tiles to maintain an even installation over the whole surface.

Once the area has been grouted, and before the grout dries, remove any excess material with a damp sponge.

**MAINTENANCE**

Maintenance free. Easy and practical to care for, due to the high standard of technical characteristics in each WOW ceramic product. Avoid abrasive or acidic cleaning products. It is recommended to clean with clear water.

**ANTES DE LA COLOCACIÓN**

Preparar la superficie sobre la que se va a colocar tu producto WOW. Debe estar limpia y aplomada. Se recomienda plantear la colocación, previo a su instalación. Elegir el material de agarre en función de las características de la superficie. Se recomienda para colocación general en superficies porosas: Kerakoll special® Eco. y para superficies no porosas como el pladur: Kerakoll serie H40® Eco.

Es importante la elección de un material de rejunte de calidad. WOW recomienda utilizar el material de rejunte Kerakoll fugabella® Color ([www.kerakoll.com](http://www.kerakoll.com)), cuyas características son especialmente adecuadas para este revestimiento.

**PARA ENSALZAR EL ASPECTO DE TU PRODUCTO WOW**

Se recomiendan separadores de 2 mm para colocar las piezas y conseguir de esta forma un aspecto WOW óptimo.

Una vez rejuntado el producto, y antes de que se endurezca, retirar el material sobrante de rejuntado con una esponja mojada en agua.

**MANTENIMIENTO**

Práctico y sencillo de limpiar, dadas las excelentes características técnicas del producto WOW, tan sólo es necesario un cuidado rutinario, evitando la utilización de productos abrasivos o ácidos. Se recomienda limpiar exclusivamente con agua limpia.

Designed by



Polígono Pont, Avda. de España 114  
12180 Cabanes,  
Castellón (Spain)  
t. +34 964 331 910 / f. +34 964 331 911

[www.wowdesigneu.com](http://www.wowdesigneu.com)  
[comercial@wowdesigneu.com](mailto:comercial@wowdesigneu.com)



© 2024 Tendencias Cerámicas  
WOW, registered trademark of Tendencias Cerámicas, S.L.

The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.

© 2024 Tendencias Cerámicas  
WOW, marca registrada por Tendencias Cerámicas, S.L.

La utilización de la marca o la reproducción del contenido de este catálogo está protegida por la Ley de Propiedad Intelectual. Cualquier uso de la marca o la reproducción del mismo, en parte o en su totalidad, debe ser autorizada por Tendencias Cerámicas, S.L., pudiendo, en caso contrario, ser esta acción sancionada de acuerdo con la Ley.

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.  
The colour of the pieces displayed herein may differ slightly from originals.  
The settings shown in this catalogue are design proposals for advertising purposes.  
In real situations in which the pieces are laid, the installation instructions published by WOW should be followed.

WOW se reserva el derecho de modificar y/o suprimir ciertos modelos expuestos en este catálogo sin previo aviso.  
Los colores de las piezas pueden presentar ligeras diferencias respecto a las originales.  
Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario,  
debiéndose utilizar en la instalación real las instrucciones de colocación editadas por WOW.

